

SAFETY DATA SHEET

US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date 01-Dec-20	23 Revision Date 01-Dec-2023	Revision Number 1
1. Identification		
Product identifier		
Product Name	Perfect Gray Milk Paint	
Other means of identific	ation	
Product Code(s)	B628	
Synonyms	None	
Recommended use of the	ne chemical and restrictions on use	
Recommended use	Wood paint	
Restrictions on use	Use only for intended applications	
Details of the supplier o	f the safety data sheet	
Manufacturer Address General Finishes 2462 Coporate Circle East Troy, WI 53120 Phone 1-800-783-6050	Distributor Wood Essence 2343 1st Ave North, unit B Saskatoon, SK S7K 2A2 Phone 306-955-8775 Dover Finishing Products 180 Ave Du Voyageur Pointe-Claire, QC H9R6A8 Phone 514-697-3000 Lee Valley Tools 1090 Morrison Drive Ottawa, ON K2H1C2 Phone 613-596-0350	
Emergency telephone n	<u>umber</u>	
Emergency telephone	24 Hour Emergency Phone Number Chemtrec 1-800-424-9300 +1 703 527 3887 (CHEMTREC International)	
2. Hazard(s) ident	ification	

Classification

Carcinogenicity

Category 1A

Label elements

Danger

Hazard statements

May cause cancer.



Precautionary Statements - Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing, eye protection and face protection. **Precautionary Statements - Response** IF exposed or concerned: Get medical advice/attention. **Precautionary Statements - Storage** Store locked up. **Precautionary Statements - Disposal** Dispose of contents and container to an approved waste disposal plant.

Other information

Causes mild skin irritation.

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

Chemical name	CAS No.	Weight-%	Information Review	Date HMIRA filed and date exemption granted (if applicable)
Limestone	1317-65-3	7 - 13	-	-
Titanium dioxide	13463-67-7	3 - 7	-	-
Talc	14807-96-6	1 - 5	-	-
Carbon black	1333-86-4	0.1 - 1	-	-
2-(Dimethylamino)ethanol	108-01-0	0.1 - 1	-	-
Triethylene glycol monobutyl ether	143-22-6	0.1 - 1	-	-
Quartz	14808-60-7	0.1 - 1	-	-

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice	IF exposed or concerned: Get medical advice/attention.
Inhalation	Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.

Skin contact	Wash skin with soap and water.
Ingestion	Rinse mouth.
Most important symptoms and effe	cts, both acute and delayed
Symptoms	Prolonged contact may cause redness and irritation.
Effects of Exposure	May cause cancer.
Indication of any immediate medica	al attention and special treatment needed
Note to physicians	Treat symptomatically.
5. Fire-fighting measures	
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	No information available.
Specific hazards arising from the chemical	No information available.
Explosion data Sensitivity to mechanical impac Sensitivity to static discharge	ct None. None.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
6. Accidental release meas	sures
Personal precautions, protective e	quipment and emergency procedures
Personal precautions	Ensure adequate ventilation.
Other information	Refer to protective measures listed in Sections 7 and 8.
Methods and material for containm	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Pick up and transfer to properly labeled containers.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
7. Handling and storage	
Precautions for safe handling	
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing.
Conditions for safe storage, includ	ing any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing.
8. Exposure controls/pers	onal protection

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV		OSH	A PEL		NIOSH
Limestone 1317-65-3	-		TWA: 5 mg/i	/m ³ total dust m ³ respirable ction		: 10 mg/m ³ total dust mg/m ³ respirable dust
			· /	: 15 mg/m ³ total ust		
			(vacated) T	WA: 5 mg/m ³ le fraction		
Titanium dioxide 13463-67-7	TWA: 0.2 mg/m ³ nar respirable particulate TWA: 2.5 mg/m ³ fin respirable particulate	matter escale	TWA: 15 mg (vacated) TWA	/m³ total dust : 10 mg/m³ total ust	TWA: TW	DLH: 5000 mg/m ³ 2.4 mg/m ³ CIB 63 fine A: 0.3 mg/m ³ CIB 63 he, including engineered nanoscale
Talc 14807-96-6	TWA: 2 mg/m ³ part matter containing no a and <1% crystalline respirable particulate	sbestos silica, matter	(vacated) T respirable dust silica, containi TWA: 20 mppc more, use	e Quartz limit WA: 2 mg/m ³ <1% Crystalline ng no Asbestos f if 1% Quartz or Quartz limit	TWA: Asbe	DLH: 1000 mg/m ³ 2 mg/m ³ containing no estos and <1% Quartz respirable dust
Carbon black 1333-86-4	TWA: 3 mg/m³ inha particulate matte		(vacated) TV	9.5 mg/m ³ VA: 3.5 mg/m ³	TWA: 0 presen	DLH: 1750 mg/m ³ TWA: 3.5 mg/m ³ .1 mg/m ³ Carbon black in ce of Polycyclic aromatic hydrocarbons PAH
Quartz 14808-60-7	TWA: 0.025 mg/m ³ re particulate matte		(vacated) TV respira : (250)/(%S TWA respiration : (10)/(%Si	50 μg/m ³ VA: 0.1 mg/m ³ ble dust GO2 + 5) mppcf rable fraction O2 + 2) mg/m ³ rable fraction		0 mg/m³ respirable dust 0.05 mg/m³ respirable dust
Chemical name	Alberta		h Columbia	Ontario		Quebec
Limestone 1317-65-3	TWA: 10 mg/m ³	TW. STEI	A: 10 mg/m ³ A: 3 mg/m ³ L: 20 mg/m ³	_		TWA: 10 mg/m³
Titanium dioxide 13463-67-7	TWA: 10 mg/m ³	TW	A: 10 mg/m ³ A: 3 mg/m ³	TWA: 10 mg		TWA: 10 mg/m ³
Talc 14807-96-6	TWA: 2 mg/m ³		A: 2 mg/m ³	TWA: 2 mg/	′m³	TWA: 2 mg/m ³
Carbon black 1333-86-4	TWA: 3.5 mg/m ³	TW	A: 3 mg/m ³	TWA: 3 mg/	′m³	TWA: 3 mg/m ³
2-(Dimethylamino)ethanol 108-01-0	-		-	TWA: 3 pp TWA: 11 mg STEL: 6 pp STEL: 22 mg	/m³ vm g/m³	-
Quartz 14808-60-7	TWA: 0.025 mg/m ³	TWA:	0.025 mg/m ³	TWA: 0.10 m	g/m³	TWA: 0.1 mg/m ³

Chemical name	Manitoba	New Brunswick	Newfoundland and Labrador	Nova Scotia
Titanium dioxide	TWA: 0.2 mg/m ³	TWA: 10 mg/m ³	TWA: 0.2 mg/m ³	TWA: 0.2 mg/m ³
	TWA: 2.5 mg/m ³		TWA: 2.5 mg/m ³	TWA: 2.5 mg/m ³
Talc	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³

Chemical name	Manitoba	New Brunswick	Newfoundland and Labrador	Nova Scotia
Carbon black	TWA: 3 mg/m ³			
Quartz	TWA: 0.025 mg/m ³			

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
Limestone	TWA: 10 mg/m ³		TWA: 10 mg/m ³	TWA: 30 mppcf
	STEL: 20 mg/m ³		STEL: 20 mg/m ³	TWA: 10 mg/m ³
				STEL: 20 mg/m ³
Titanium dioxide	TWA: 10 mg/m ³	TWA: 0.2 mg/m ³	TWA: 10 mg/m ³	TWA: 30 mppcf
	STEL: 20 mg/m ³	TWA: 2.5 mg/m ³	STEL: 20 mg/m ³	TWA: 10 mg/m ³
			-	STEL: 20 mg/m ³
Talc	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 20 mppcf
Carbon black	TWA: 3.5 mg/m ³	TWA: 3 mg/m ³	TWA: 3.5 mg/m ³	TWA: 3.5 mg/m ³
	STEL: 7 mg/m ³		STEL: 7 mg/m ³	STEL: 7 mg/m ³
Quartz	TWA: 0.05 mg/m ³	TWA: 0.025 mg/m ³	TWA: 0.05 mg/m ³	TWA: 300 particle/mL

Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, su	ch as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles).
Hand protection	Wear suitable gloves.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

9. Physical and chemical properties

Information on basic physical and chemical properties				
Appearance				
Physical state	Liquid			
Color	Gray			
Odor	Slight			
Odor threshold	No information available			
Property_	<u>Values</u>	Remarks • Method		
рН	7.5 - 8.8			
Melting point / freezing point		No data available		
Initial boiling point and boiling ran	ge	No data available		
Flash point		No data available		
Evaporation rate		No data available		
Flammability		No data available		
Flammability Limit in Air				
Upper flammability or explosive		No data available		

limits Lower flammability or explosive		No data available
limits		
Vapor pressure		No data available
Relative vapor density		No data available
Relative density	10.2	
Water solubility	Soluble in water	
Solubility(ies)		No data available
Partition coefficient		No data available
Autoignition temperature		No data available
Decomposition temperature		No data available
Kinematic viscosity	4500 0500 - D	No data available
Dynamic viscosity	1500 - 2500 cP	
Other information		
Explosive properties	No information available.	
Oxidizing properties	No information available.	
Softening point	No information available	
Molecular weight	No information available	
VOC content	No information available	
VOC	< 50 g/L	
Liquid Density	No information available	
Bulk density	No information available	

10. Stability and reactivity

Reactivity	None under normal use conditions.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Do not freeze.
Incompatible materials	None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Causes mild skin irritation. Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available.
Symptoms related to the physical, o	chemical and toxicological characteristics
Symptoms	Prolonged contact may cause redness and irritation.
Acute toxicity	
Numerical measures of toxicity	

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide	> 10000 mg/kg (Rat)	-	= 5.09 mg/L (Rat)4 h
Carbon black	> 15400 mg/kg (Rat)	> 2000 mg/kg (Rat)	> 4.6 mg/m³ (Rat)4 h
2-(Dimethylamino)ethanol	= 1803 mg/kg (Rat)	= 1220 mg/kg (Rabbit)	= 1641 ppm (Rat)4 h
Triethylene glycol monobutyl ether	= 5300 mg/kg (Rat)	= 3540 mg/kg (Rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes mild skin irritation. Classification based on data available for ingredients.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	May cause cancer. Contains a known or suspected carcinogen. Classification based on data available for ingredients.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Titanium dioxide	A3	Group 2B	-	Х
13463-67-7				
Talc	-	Group 3	-	Х
14807-96-6				
Carbon black	A3	Group 2B	-	Х
1333-86-4				
Quartz	A2	Group 1	Known	Х
14808-60-7				

Legend

 A2 - Suspected Human Carcinoge A3 - Animal Carcinogen IARC (International Agency for I Group 1 - Carcinogenic to Human Group 2B - Possibly Carcinogenic Group 3 - Not Classifiable as to C NTP (National Toxicology Progr Known - Known Carcinogen OSHA (Occupational Safety and X - Present 	Research on Cancer) s to Humans arcinogenicity in Humans
Reproductive toxicity	No information available.
Reproductive toxicity STOT - single exposure	No information available. No information available.
. ,	

12. Ecological information

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Talc	-	LC50: >100g/L (96h,	-	-
14807-96-6		Brachydanio rerio)		
2-(Dimethylamino)ethanol	EC50: =35mg/L (72h,	LC50: =81mg/L (96h,	-	EC50: =98.77mg/L (48h,
108-01-0	Desmodesmus	Pimephales promelas)		Daphnia magna)
	subspicatus)			
Triethylene glycol monobutyl	EC50: >500mg/L (72h,	LC50: =2400mg/L (96h,	-	EC50: >500mg/L (48h,
ether	Desmodesmus	Pimephales promelas)		Daphnia magna)
143-22-6	subspicatus)			

Persistence and degradability No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient	
2-(Dimethylamino)ethanol 108-01-0	-0.55	
Triethylene glycol monobutyl ether 143-22-6	0.51	

Other adverse effects

No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused products	Dispose of in accordance with local regulations, Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

14. Transport information

DOT	Not regulated
TDG	Not regulated
IATA	Not regulated
IMDG	Not regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Contact supplier for inventory compliance status

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %	
Triethylene glycol monobutyl ether - 143-22-6	1.0	

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65
Titanium dioxide - 13463-67-7	Carcinogen
Carbon black - 1333-86-4	Carcinogen
Quartz - 14808-60-7	Carcinogen
1-Methyl-2-pyrrolidone - 872-50-4	Developmental
Ethylene oxide - 75-21-8	Carcinogen Developmental Female Reproductive Male Reproductive
1,4-Dioxane - 123-91-1	Carcinogen
Formaldehyde - 50-00-0	Carcinogen
Methanol - 67-56-1	Developmental
Methyl chloride - 74-87-3	Developmental Male Reproductive
Acetaldehyde - 75-07-0	Carcinogen
Propylene oxide - 75-56-9	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Limestone	X	Х	Х

1017.65.0			
1317-65-3			X
Titanium dioxide 13463-67-7	Х	X	X
Talc 14807-96-6	Х	X	X
Propylene glycol monomethyl ether 107-98-2	Х	X	Х
Propylene glycol 57-55-6	Х	-	Х
Dipropylene glycol monomethyl ether 34590-94-8	Х	Х	Х
Carbon black 1333-86-4	Х	X	X
2-(Dimethylamino)ethanol 108-01-0	Х	X	X
Triethylene glycol monobutyl ether 143-22-6	Х	-	X
Quartz 14808-60-7	Х	X	Х
1-Methyl-2-pyrrolidone 872-50-4	Х	X	Х
Ethylene oxide 75-21-8	Х	X	Х
1,4-Dioxane 123-91-1	Х	X	Х
Formaldehyde 50-00-0	Х	X	Х
Methanol 67-56-1	Х	X	Х
Methyl chloride 74-87-3	Х	X	Х
Acetaldehyde 75-07-0	Х	X	Х
Propylene oxide 75-56-9	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

<u>NFPA</u>	Health hazards 0	Flammability 0	Instability 0	Special hazards -
HMIS_	Health hazards *	Flammability 0	Physical hazards 0	Personal protection X
Chronic Hazard Star Lege	end *= Chronic	Health Hazard		

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration LD50: 50% Lethal Dose

TWA TW Ceiling Ma	posure controls/personal protection /A (time-weighted average) ximum limit value nsitizers	STEL Sk*	STEL (Short Term Exposure Limit) Skin designation
U.Ś. Environmental Pro European Food Safety EPA (Environmental Pro Acute Exposure Guidel U.S. Environmental Pro U.S. Environmental Pro Food Research Journa Hazardous Substance International Uniform C Japan GHS Classificati Australia National Indus NIOSH (National Institu National Library of Med U.S. National Toxicolog New Zealand's Chemic Organization for Econo	rotection Agency) line Level(s) (AEGL(s)) otection Agency Federal Insecticide, i otection Agency High Production Volu I Database Chemical Information Database (IUCL ion strial Chemicals Notification and Assi- ute for Occupational Safety and Healt dicine's ChemID Plus (NLM CIP) gy Program (NTP) cal Classification and Information Data omic Co-operation and Development omic Co-operation and Development	Fungicide, and Roc ume Chemicals ID) essment Scheme (h) abase (CCID) Environment, Healt High Production Vo	NICNAS) h, and Safety Publications Jume Chemicals Program
Issuing Date	01-Dec-2023		
Revision Date	01-Dec-2023		
Revision Note <u>Disclaimer</u> The information provi	Initial Release.	prrect to the best o	of our knowledge, information and belief at t

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet