

SAFETY DATA SHEET

US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

| Issuing Date 07 | 1-Dec-2023 | Revision Date 01-Dec-2023 | Revision Number 1 |
|--|----------------|---|-------------------|
| 1. Identifica | tion | | |
| Product identifie | <u>er</u> | | |
| Product Name | | Queenstown Milk Paint | |
| Other means of | identification | - | |
| Product Code(s | ;) | B436 | |
| Synonyms | | None | |
| Recommended | use of the che | emical and restrictions on use | |
| Recommended | use | Wood paint | |
| Restrictions on | use | Use only for intended applications | |
| Details of the su | upplier of the | safety data sheet | |
| Manufacturer Address General FinishesDistributor Wood Essence2462 Coporate Circle East Troy, WI 531202343 1st Ave North, unit B Saskatoon, SK S7K 2A2 Phone 1-800-783-6050Phone 1-800-783-6050Phone 306-955-8775Dover Finishing Products 180 Ave Du Voyageur Pointe-Claire, QC H9R6A8 Phone 514-697-3000Lee Valley Tools 1090 Morrison Drive Ottawa, ON K2H1C2 Phone 613-596-0350 | | | |
| Emergency tele | phone numbe | <u>r</u> | |
| Emergency tele | phone | 24 Hour Emergency Phone Number Chemtrec 1-800-424-9300 +1 703 527 3887 (CHEMTREC International) | |
| 2. Hazard(s) identification | | | |

Classification

Carcinogenicity

Category 1A

Label elements

Danger

Hazard statements

May cause cancer.



Precautionary Statements - Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing, eye protection and face protection. **Precautionary Statements - Response** IF exposed or concerned: Get medical advice/attention. **Precautionary Statements - Storage** Store locked up. **Precautionary Statements - Disposal** Dispose of contents and container to an approved waste disposal plant.

Other information

Causes mild skin irritation.

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

| Chemical name | CAS No. | Weight-% | Information Review | Date HMIRA filed and date exemption granted (if applicable) |
|------------------------------------|------------|----------|--------------------|---|
| Limestone | 1317-65-3 | 7 - 13 | - | - |
| Talc | 14807-96-6 | 1 - 5 | - | - |
| Titanium dioxide | 13463-67-7 | 1 - 5 | - | - |
| Carbon black | 1333-86-4 | 0.1 - 1 | - | - |
| 2-(Dimethylamino)ethanol | 108-01-0 | 0.1 - 1 | - | - |
| Quartz | 14808-60-7 | 0.1 - 1 | - | - |
| Triethylene glycol monobutyl ether | 143-22-6 | 0.1 - 1 | - | - |

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

| General advice | IF exposed or concerned: Get medical advice/attention. |
|----------------|--|
| Inhalation | Remove to fresh air. |
| Eye contact | Rinse thoroughly with plenty of water, also under the eyelids. |

| Skin contact | Wash skin with soap and water. | | | |
|--|---|--|--|--|
| Ingestion | Rinse mouth. | | | |
| Most important symptoms and effects, both acute and delayed | | | | |
| Symptoms | Prolonged contact may cause redness and irritation. | | | |
| Effects of Exposure | May cause cancer. | | | |
| Indication of any immediate medica | al attention and special treatment needed | | | |
| Note to physicians Treat symptomatically. | | | | |
| 5. Fire-fighting measures | | | | |
| Suitable Extinguishing Media | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. | | | |
| Unsuitable extinguishing media | No information available. | | | |
| Specific hazards arising from the chemical | No information available. | | | |
| Explosion data Sensitivity to mechanical impac Sensitivity to static discharge | ct None. None. | | | |
| Special protective equipment and precautions for fire-fighters | Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment. | | | |
| 6. Accidental release measures | | | | |
| Personal precautions, protective e | guipment and emergency procedures | | | |
| Personal precautions | Ensure adequate ventilation. | | | |
| Other information | Refer to protective measures listed in Sections 7 and 8. | | | |
| Methods and material for containm | ent and cleaning up | | | |
| Methods for containment | Prevent further leakage or spillage if safe to do so. | | | |
| Methods for cleaning up | Pick up and transfer to properly labeled containers. | | | |
| Prevention of secondary hazards | Clean contaminated objects and areas thoroughly observing environmental regulations. | | | |
| 7. Handling and storage | | | | |
| Precautions for safe handling | | | | |
| Advice on safe handling | Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. | | | |
| Conditions for safe storage, includ | ing any incompatibilities | | | |
| Storage Conditions | Keep containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing. | | | |
| 8. Exposure controls/personal protection | | | | |

8. Exposure controls/personal protection

Control parameters

Exposure Limits

| Chemical name | ACGIH TLV | | OSHA PEL | | | NIOSH |
|--------------------------------------|--|---------|--|---|--------------------|---|
| Limestone 1317-65-3 | - | | TWA: 5 mg/i | /m³ total dust m³ respirable ction | | 10 mg/m ³ total dust mg/m ³ respirable dust |
| | | | (vacated) TWA | : 15 mg/m ³ total ust | | |
| | | | respirab | WA: 5 mg/m ³ le fraction | | |
| Talc 14807-96-6 | matter containing no asbestos | | TWA: 20 mppc or more, us | e Quartz limit | TWA: | DLH: 1000 mg/m ³ 2 mg/m ³ containing no |
| | and <1% crystalline respirable particulate | | respirable dust | WA: 2 mg/m ³ <1% Crystalline | Asbe | estos and <1% Quartz respirable dust |
| | | | TWA: 20 mppc | ng no Asbestos f if 1% Quartz or Quartz limit | | |
| Titanium dioxide | TWA: 0.2 mg/m ³ nar | noscale | TWA: 15 mg | /m ³ total dust | l | DLH: 5000 mg/m ³ |
| 13463-67-7 | respirable particulate matter TWA: 2.5 mg/m ³ finescale respirable particulate matter | | (vacated) TWA: 10 mg/m ³ total dust | | TW | 2.4 mg/m ³ CIB 63 fine A: 0.3 mg/m ³ CIB 63 le, including engineered nanoscale |
| Carbon black 1333-86-4 | TWA: 3 mg/m ³ inhalable particulate matter | | TWA: 3.5 mg/m ³ (vacated) TWA: 3.5 mg/m ³ | | TWA: 0. presend | DLH: 1750 mg/m ³ TWA: 3.5 mg/m ³ .1 mg/m ³ Carbon black in ce of Polycyclic aromatic ydrocarbons PAH |
| Quartz 14808-60-7 | TWA: 0.025 mg/m ³ respirable particulate matter | | (vacated) TV respira : (250)/(%S TWA respiration : (10)/(%Si | 50 μg/m ³ VA: 0.1 mg/m ³ able dust GO2 + 5) mppcf rable fraction O2 + 2) mg/m ³ rable fraction | IDLH: 5 | 0 mg/m³ respirable dust 0.05 mg/m³ respirable dust |
| Chemical name | Alberta | | h Columbia | Ontario | | Quebec |
| Limestone 1317-65-3 | TWA: 10 mg/m ³ | TW | A: 10 mg/m ³ A: 3 mg/m ³ L: 20 mg/m ³ | - | | TWA: 10 mg/m³ |
| Talc 14807-96-6 | TWA: 2 mg/m ³ | | A: 2 mg/m ³ | TWA: 2 mg/ | | TWA: 2 mg/m ³ |
| Titanium dioxide 13463-67-7 | TWA: 10 mg/m ³ | TW | A: 10 mg/m ³ A: 3 mg/m ³ | TWA: 10 mg | | TWA: 10 mg/m ³ |
| Carbon black 1333-86-4 | TWA: 3.5 mg/m ³ | TW | A: 3 mg/m ³ | TWA: 3 mg/ | | TWA: 3 mg/m ³ |
| 2-(Dimethylamino)ethanol 108-01-0 | - | | - | TWA: 3 pp TWA: 11 mg STEL: 6 pp STEL: 22 mg | /m³ m g/m³ | - |
| Quartz 14808-60-7 | TWA: 0.025 mg/m ³ | TWA: | 0.025 mg/m ³ | TWA: 0.10 m | g/m³ | TWA: 0.1 mg/m ³ |

| Chemical name | Manitoba | New Brunswick | Newfoundland and Labrador | Nova Scotia |
|------------------|--|---------------------------|--|--|
| Talc | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ |
| Titanium dioxide | TWA: 0.2 mg/m ³ TWA: 2.5 mg/m ³ | TWA: 10 mg/m ³ | TWA: 0.2 mg/m ³ TWA: 2.5 mg/m ³ | TWA: 0.2 mg/m ³ TWA: 2.5 mg/m ³ |

| Chemical name | Manitoba | New Brunswick | Newfoundland and Labrador | Nova Scotia |
|---------------|------------------------------|------------------------------|------------------------------|------------------------------|
| Carbon black | TWA: 3 mg/m ³ |
| Quartz | TWA: 0.025 mg/m ³ |

| Chemical name | Nunavut | Prince Edward Island | Saskatchewan | Yukon |
|------------------|-----------------------------|------------------------------|-----------------------------|----------------------------|
| Limestone | TWA: 10 mg/m ³ | | TWA: 10 mg/m ³ | TWA: 30 mppcf |
| | STEL: 20 mg/m ³ | | STEL: 20 mg/m ³ | TWA: 10 mg/m ³ |
| | | | | STEL: 20 mg/m ³ |
| Talc | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 20 mppcf |
| Titanium dioxide | TWA: 10 mg/m ³ | TWA: 0.2 mg/m ³ | TWA: 10 mg/m ³ | TWA: 30 mppcf |
| | STEL: 20 mg/m ³ | TWA: 2.5 mg/m ³ | STEL: 20 mg/m ³ | TWA: 10 mg/m ³ |
| | _ | | | STEL: 20 mg/m ³ |
| Carbon black | TWA: 3.5 mg/m ³ | TWA: 3 mg/m ³ | TWA: 3.5 mg/m ³ | TWA: 3.5 mg/m ³ |
| | STEL: 7 mg/m ³ | | STEL: 7 mg/m ³ | STEL: 7 mg/m ³ |
| Quartz | TWA: 0.05 mg/m ³ | TWA: 0.025 mg/m ³ | TWA: 0.05 mg/m ³ | TWA: 300 particle/mL |

Appropriate engineering controls

| Engineering controls | Showers Eyewash stations Ventilation systems. |
|------------------------------------|--|
| Individual protection measures, su | ch as personal protective equipment |
| Eye/face protection | Wear safety glasses with side shields (or goggles). |
| Hand protection | Wear suitable gloves. |
| 0 11 11 1 1 1 1 | |
| Skin and body protection | Wear suitable protective clothing. |
| Respiratory protection | No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. |
| General hygiene considerations | Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. |

9. Physical and chemical properties

| Information on basic physical and chemical properties | | | | |
|---|--------------------------|-------------------|--|--|
| Appearance | | | | |
| Physical state | Liquid | | | |
| Color | Gray | | | |
| Odor | Slight | | | |
| Odor threshold | No information available | | | |
| Property_ | <u>Values</u> | Remarks • Method | | |
| рН | 7.5 - 8.8 | | | |
| Melting point / freezing point | | No data available | | |
| Initial boiling point and boiling ran | ge | No data available | | |
| Flash point | | No data available | | |
| Evaporation rate | | No data available | | |
| Flammability | | No data available | | |
| Flammability Limit in Air | | | | |
| Upper flammability or explosive | | No data available | | |

| limits | | |
|---|---------------------------|-------------------|
| Lower flammability or explosive limits | | No data available |
| Vapor pressure | | No data available |
| Relative vapor density | | No data available |
| Relative density | 9.9 | |
| Water solubility | Soluble in water | |
| Solubility(ies) | | No data available |
| Partition coefficient | | No data available |
| Autoignition temperature | | No data available |
| Decomposition temperature | | No data available |
| Kinematic viscosity | | No data available |
| Dynamic viscosity | 1500 - 2500 cP | |
| Other information | | |
| Explosive properties | No information available. | |
| Oxidizing properties | No information available. | |
| Softening point | No information available | |
| Molecular weight | No information available | |
| VOC content | No information available | |
| VOC | < 50 g/L | |
| Liquid Density | No information available | |
| Bulk density | No information available | |
| | | |

10. Stability and reactivity

| Reactivity | None under normal use conditions. |
|------------------------------------|---|
| Chemical stability | Stable under normal conditions. |
| Possibility of hazardous reactions | None under normal processing. |
| Conditions to avoid | Do not freeze. |
| Incompatible materials | None known based on information supplied. |
| | |

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

| Inhalation | Specific test data for the substance or mixture is not available. |
|-------------------------------------|--|
| Eye contact | Specific test data for the substance or mixture is not available. |
| Skin contact | Causes mild skin irritation. Specific test data for the substance or mixture is not available. |
| Ingestion | Specific test data for the substance or mixture is not available. |
| Symptoms related to the physical, o | chemical and toxicological characteristics |
| Symptoms | Prolonged contact may cause redness and irritation. |
| Acute toxicity | |
| Numerical measures of toxicity | |
| | |

Component Information

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|------------------------------------|---------------------|-----------------------|----------------------|
| Titanium dioxide | > 10000 mg/kg (Rat) | - | = 5.09 mg/L (Rat)4 h |
| Carbon black | > 15400 mg/kg (Rat) | > 2000 mg/kg (Rat) | > 4.6 mg/m³ (Rat)4 h |
| 2-(Dimethylamino)ethanol | = 1803 mg/kg (Rat) | = 1220 mg/kg (Rabbit) | = 1641 ppm (Rat)4 h |
| Triethylene glycol monobutyl ether | = 5300 mg/kg (Rat) | = 3540 mg/kg (Rabbit) | - |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Skin corrosion/irritation | Causes mild skin irritation. Classification based on data available for ingredients. |
|-----------------------------------|---|
| Serious eye damage/eye irritation | No information available. |
| Respiratory or skin sensitization | No information available. |
| Germ cell mutagenicity | No information available. |
| Carcinogenicity | May cause cancer. Contains a known or suspected carcinogen. Classification based on data available for ingredients. |

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|--------------------------------|-------|----------|-------|------|
| Talc 14807-96-6 | - | Group 3 | - | Х |
| Titanium dioxide 13463-67-7 | A3 | Group 2B | - | Х |
| Carbon black 1333-86-4 | A3 | Group 2B | - | Х |
| Quartz 14808-60-7 | A2 | Group 1 | Known | Х |

Legend

| A2 - Suspected Human Carcinoge A3 - Animal Carcinogen IARC (International Agency for Group 1 - Carcinogenic to Human Group 2B - Possibly Carcinogenic Group 3 - Not Classifiable as to C NTP (National Toxicology Progr Known - Known Carcinogen | Research on Cancer) is : to Humans arcinogenicity in Humans |
|---|--|
| Reproductive toxicity | No information available. |
| | |
| STOT - single exposure | No information available. |
| STOT - single exposure STOT - repeated exposure | No information available. No information available. |

12. Ecological information

Ecotoxicity

The environmental impact of this product has not been fully investigated.

| Chemical name | Algae/aquatic plants | Fish | Toxicity to | Crustacea |
|------------------------------|----------------------|-----------------------|----------------|------------------------|
| | | | microorganisms | |
| Talc | - | LC50: >100g/L (96h, | - | - |
| 14807-96-6 | | Brachydanio rerio) | | |
| 2-(Dimethylamino)ethanol | EC50: =35mg/L (72h, | LC50: =81mg/L (96h, | - | EC50: =98.77mg/L (48h, |
| 108-01-0 | Desmodesmus | Pimephales promelas) | | Daphnia magna) |
| | subspicatus) | | | |
| Triethylene glycol monobutyl | EC50: >500mg/L (72h, | LC50: =2400mg/L (96h, | - | EC50: >500mg/L (48h, |
| ether | Desmodesmus | Pimephales promelas) | | Daphnia magna) |
| 143-22-6 | subspicatus) | | | |

Persistence and degradability No information available.

Bioaccumulation

Component Information

| Chemical name | Partition coefficient |
|--|-----------------------|
| 2-(Dimethylamino)ethanol 108-01-0 | -0.55 |
| Triethylene glycol monobutyl ether 143-22-6 | 0.51 |

Other adverse effects

No information available.

13. Disposal considerations

Disposal methods

| Waste from residues/unused products | Dispose of in accordance with local regulations, Dispose of waste in accordance with environmental legislation. |
|--|---|
| Contaminated packaging | Do not reuse empty containers. |

14. Transport information

| DOT | Not regulated |
|------|---------------|
| TDG | Not regulated |
| IATA | Not regulated |
| IMDG | Not regulated |

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Contact supplier for inventory compliance status

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| Chemical name | SARA 313 - Threshold Values % |
|---|-------------------------------|
| Triethylene glycol monobutyl ether - 143-22-6 | 1.0 |

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:.

| Chemical name | California Proposition 65 |
|-----------------------------------|---|
| Titanium dioxide - 13463-67-7 | Carcinogen |
| Carbon black - 1333-86-4 | Carcinogen |
| Quartz - 14808-60-7 | Carcinogen |
| 1-Methyl-2-pyrrolidone - 872-50-4 | Developmental |
| Ethylene oxide - 75-21-8 | Carcinogen Developmental Female Reproductive Male Reproductive |
| 1,4-Dioxane - 123-91-1 | Carcinogen |
| Formaldehyde - 50-00-0 | Carcinogen |
| Methanol - 67-56-1 | Developmental |
| Methyl chloride - 74-87-3 | Developmental Male Reproductive |
| Acetaldehyde - 75-07-0 | Carcinogen |
| Propylene oxide - 75-56-9 | Carcinogen |

U.S. State Right-to-Know Regulations

| | Pennsylvania |
|---------------|--------------|
| Limestone X X | Х |

| 1317-65-3 | | | |
|--|---|---|---|
| Talc 14807-96-6 | Х | X | Х |
| Titanium dioxide 13463-67-7 | Х | X | Х |
| Carbon black 1333-86-4 | Х | X | Х |
| Propylene glycol monomethyl ether 107-98-2 | Х | X | X |
| Propylene glycol 57-55-6 | Х | - | X |
| Dipropylene glycol monomethyl ether 34590-94-8 | Х | X | X |
| 2-(Dimethylamino)ethanol 108-01-0 | Х | X | Х |
| Quartz 14808-60-7 | Х | X | X |
| Triethylene glycol monobutyl ether 143-22-6 | Х | - | X |
| 1-Methyl-2-pyrrolidone 872-50-4 | Х | X | Х |
| Ethylene oxide 75-21-8 | Х | X | Х |
| 1,4-Dioxane 123-91-1 | Х | X | Х |
| Formaldehyde 50-00-0 | Х | X | Х |
| Methanol 67-56-1 | Х | X | Х |
| Methyl chloride 74-87-3 | Х | X | Х |
| Acetaldehyde 75-07-0 | Х | X | Х |
| Propylene oxide 75-56-9 | Х | X | Х |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

| <u>NFPA</u> | Health hazards 0 | Flammability 0 | Instability 0 | Special hazards - |
|--------------------------|------------------|----------------|--------------------|-----------------------|
| HMIS_ | Health hazards * | Flammability 0 | Physical hazards 0 | Personal protection X |
| Chronic Hazard Star Lege | end *= Chronic | Health Hazard | | |

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration LD50: 50% Lethal Dose

| TWA TWA (t | ure controls/personal protection ime-weighted average) um limit value zers | STEL Sk* | STEL (Short Term Exposure Limit) Skin designation |
|--|--|---|---|
| U.Š. Environmental Protec European Food Safety Aut EPA (Environmental Protec Acute Exposure Guideline U.S. Environmental Protec U.S. Environmental Protec Food Research Journal Hazardous Substance Data International Uniform Chen Japan GHS Classification Australia National Industria NIOSH (National Institute f National Library of Medicin U.S. National Toxicology P New Zealand's Chemical C Organization for Economic | ction Agency) Level(s) (AEGL(s)) tion Agency Federal Insecticide, tion Agency High Production Vol abase nical Information Database (IUCL Il Chemicals Notification and Ass or Occupational Safety and Heal e's ChemID Plus (NLM CIP) | e Fungicide, and Rod ume Chemicals _ID) essment Scheme (N th) tabase (CCID) Environment, Health High Production Vol | NICNAS) n, and Safety Publications lume Chemicals Program |
| Issuing Date | 01-Dec-2023 | | |
| Revision Date | 01-Dec-2023 | | |
| Revision Note <u>Disclaimer</u> The information provideo | Initial Release. | orrect to the best o | f our knowledge, information and belief at t |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet