# **SAFETY DATA SHEET**

### **Enduro-Var Flat**



| Section 1. Identi  | fication  |                                |
|--|---|--------------------------------|
| GHS product identifier                                     | : Enduro-Var Flat   |                                |
| Other means of identification                              | : Not available.  |                                |
| Product type   | : Liquid.   |                                |
| Identified uses  |   |                                |
| Water-based coating.                                       |   |                                |
| Manufacturer   | : General Finishes<br>2462 Corporate Circle<br>East Troy, WI 53120<br>U.S.A.<br>Phone no.: 262-642-4545<br>Toll free no.: 1-800-783-6050<br>Fax no.: 262-642-4707<br>Web: GeneralFinishes.com |                                |
| Emergency telephone<br>number (with hours of<br>operation) | : CHEMTREC, U.S. : 1-800-424-9300<br>(24/7)   | International: +1-703-527-3887 |

# Section 2. Hazards identification

| OSHA/HCS status                            | : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).   |
|--|---|
| Classification of the substance or mixture | <ul> <li>SKIN CORROSION/IRRITATION - Category 2<br/>SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A<br/>TOXIC TO REPRODUCTION (Unborn child) - Category 1B<br/>SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract<br/>irritation) - Category 3</li> </ul> |

**GHS label elements** Hazard pictograms

Signal word **Hazard statements**  : Danger

: Causes serious eye irritation. Causes skin irritation. May damage the unborn child. May cause respiratory irritation.

### **Precautionary statements** General

: Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.





# Section 2. Hazards identification

| Prevention                          | : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wear protective gloves. Wear eye or face protection. Use only outdoors or in a well-ventilated area. Avoid breathing vapor. Wash hands thoroughly after handling.  |
|-------------------------------------|---|
| Response                            | : IF exposed or concerned: Get medical attention. IF INHALED: Remove victim to fresh<br>air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or<br>physician if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. Take off<br>contaminated clothing. Wash contaminated clothing before reuse. If skin irritation<br>occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several<br>minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye<br>irritation persists: Get medical attention. |
| Storage                             | : Store locked up.  |
| Disposal                            | <ul> <li>Dispose of contents and container in accordance with all local, regional, national and<br/>international regulations.</li> </ul>   |
| Hazards not otherwise<br>classified | : None known.   |

# Section 3. Composition/information on ingredients

| Substance/mixture                | : Mixture        |
|----------------------------------|------------------|
| Other means of<br>identification | : Not available. |

| CAS number/other ider                   | <u>ntifiers</u>   |                  |                      |
|---|-------------------|------------------|----------------------|
| CAS number                              | : Not applicable. |                  |                      |
| Product code                            | : Not available.  |                  |                      |
| Ingredient name                         |                   | %                | CAS number           |
| N-methyl-2-pyrrolidone<br>Triethylamine |                   | 10 - 30<br>1 - 5 | 872-50-4<br>121-44-8 |

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### **Description of necessary first aid measures**

| Eye contact  | <ul> <li>Immediately flush eyes with plenty of water, occasionally lifting the upper and lower<br/>eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20<br/>minutes. Get medical attention.</li> </ul>  |
|--------------|--|
| Inhalation   | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. If necessary, call a poison center or physician. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. |
| Skin contact | : Flush contaminated skin with plenty of water. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 20 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.  |
| Ingestion    | : Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.                         |





# Section 4. First aid measures

#### Most important symptoms/effects, acute and delayed

| Potential  | acute | health  | effects |
|------------|-------|---------|---------|
| i Uteritia | acuie | neartin | CHECIS  |

| Potential acute nealth effects |   |  |
|--------------------------------|---|--|
| Eye contact                    | Causes serious eye irritation.  |  |
| Inhalation                     | <ul> <li>May cause respiratory irritation. Exposure to decomposition products may cause a<br/>health hazard. Serious effects may be delayed following exposure.</li> </ul>  |  |
| Skin contact                   | Causes skin irritation.   |  |
| Ingestion                      | Irritating to mouth, throat and stomach.  |  |
| Over-exposure signs/sympto     | <u>ms</u>   |  |
| Eye contact                    | Adverse symptoms may include the following:<br>pain or irritation<br>watering<br>redness  |  |
| Inhalation                     | : Adverse symptoms may include the following:<br>respiratory tract irritation<br>coughing<br>reduced fetal weight<br>increase in fetal deaths<br>skeletal malformations   |  |
| Skin contact                   | Adverse symptoms may include the following:<br>irritation<br>redness<br>reduced fetal weight<br>increase in fetal deaths<br>skeletal malformations  |  |
| Ingestion                      | Adverse symptoms may include the following:<br>reduced fetal weight<br>increase in fetal deaths<br>skeletal malformations   |  |
| Indication of immediate medic  | al attention and special treatment needed, if necessary   |  |
| Notes to physician             | In case of inhalation of decomposition products in a fire, symptoms may be delayed.<br>The exposed person may need to be kept under medical surveillance for 48 hours.  |  |
| Specific treatments            | No specific treatment.  |  |
| Protection of first-aiders     | No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. |  |
|                                |   |  |

See toxicological information (Section 11)

# Section 5. Fire-fighting measures

| Extinguishing media            |   |  |
|--------------------------------|---|--|
| Suitable extinguishing media   | : In case of fire, use water spray (fog), foam, dry chemical or CO <sub>2</sub> . |  |
| Unsuitable extinguishing media | : None known.   |  |





# Section 5. Fire-fighting measures

| Specific hazards arising from the chemical     | : No specific fire or explosion hazard.   |
|--|---|
| Hazardous thermal decomposition products       | : Decomposition products may include the following materials:<br>carbon dioxide<br>carbon monoxide<br>nitrogen oxides   |
| Special protective actions for fire-fighters   | : No special measures are required.   |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

# Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

| For non-emergency<br>personnel | :  | No action shall be taken involving any personal risk or without suitable training. Keep<br>unnecessary and unprotected personnel from entering. Do not touch or walk through<br>spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear<br>appropriate respirator when ventilation is inadequate. Put on appropriate personal<br>protective equipment.  |
|--------------------------------|----|---|
| For emergency responders       | :  | If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".   |
| Environmental precautions      | :  | Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains<br>and sewers. Inform the relevant authorities if the product has caused environmental<br>pollution (sewers, waterways, soil or air).   |
| Methods and materials for co   | nt | ainment and cleaning up   |
| Small spill                    | :  | Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.   |
| Large spill                    | :  | Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |

# Section 7. Handling and storage

### Precautions for safe handling

| Protective measures | : Put on appropriate personal protective equipment (see Section 8). Avoid exposure -<br>obtain special instructions before use. Avoid exposure during pregnancy. Do not<br>handle until all safety precautions have been read and understood. Do not get in eyes<br>or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Use only with<br>adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep<br>in the original container or an approved alternative made from a compatible material,<br>kept tightly closed when not in use. Empty containers retain product residue and can be<br>hazardous. Do not reuse container. |
|---------------------|---|
|---------------------|---|



# Section 7. Handling and storage

| Advice on general occupational hygiene                             | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures. Remove contaminated clothing and protective equipment before entering eating areas.   |
|--|---|
| Conditions for safe storage,<br>including any<br>incompatibilities | <ul> <li>Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.</li> </ul> |

### Section 8. Exposure controls/personal protection

### **Control parameters**

#### **Occupational exposure limits**

| Ingredient name        | Exposure limits                                     |
|------------------------|---|
| N-methyl-2-pyrrolidone | AIHA WEEL (United States, 10/2011). Absorbed        |
|                        | through skin.                                       |
|                        | TWA: 10 ppm 8 hours.                                |
| Triethylamine          | ACGIH TLV (United States, 2/2010). Absorbed through |
|                        | skin.   |
|                        | STEL: 12 mg/m <sup>3</sup> 15 minutes.              |
|                        | STEL: 3 ppm 15 minutes.                             |
|                        | TWA: 4.1 mg/m <sup>3</sup> 8 hours.                 |
|                        | TWA: 1 ppm 8 hours.                                 |
|                        | OSHA PEL (United States, 6/2010).                   |
|                        | TWA: 100 mg/m <sup>3</sup> 8 hours.                 |
|                        | TWA: 25 ppm 8 hours.                                |
|                        | OSHA PEL 1989 (United States, 3/1989).              |
|                        | TWA: 10 ppm 8 hours.                                |
|                        | TWA: 40 mg/m <sup>3</sup> 8 hours.                  |
|                        | STEL: 15 ppm 15 minutes.                            |
|                        | STEL: 60 mg/m <sup>3</sup> 15 minutes.              |

| Appropriate engineering<br>controls | :    | Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.  |
|-------------------------------------|------|---|
| Environmental exposure controls     | :    | Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.   |
| Individual protection measure       | ures |   |
| Hygiene measures                    | :    | Wash hands, forearms and face thoroughly after handling chemical products, before<br>eating, smoking and using the lavatory and at the end of the working period.<br>Appropriate techniques should be used to remove potentially contaminated clothing.<br>Wash contaminated clothing before reusing. Ensure that eyewash stations and safety<br>showers are close to the workstation location. |
| Eye/face protection                 | :    | Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.  |
| Skin protection                     |      |   |





# Section 8. Exposure controls/personal protection

| Hand protection        | : Chemical-resistant, impervious gloves complying with an approved standard should be<br>worn at all times when handling chemical products if a risk assessment indicates this is<br>necessary. Considering the parameters specified by the glove manufacturer, check<br>during use that the gloves are still retaining their protective properties. It should be<br>noted that the time to breakthrough for any glove material may be different for different<br>glove manufacturers. In the case of mixtures, consisting of several substances, the<br>protection time of the gloves cannot be accurately estimated. |
|------------------------|--|
| Body protection        | : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.  |
| Other skin protection  | : Appropriate footwear and any additional skin protection measures should be selected<br>based on the task being performed and the risks involved and should be approved by a<br>specialist before handling this product.  |
| Respiratory protection | : Use a properly fitted, air-purifying or supplied air respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.   |

# Section 9. Physical and chemical properties

| <u>Appearance</u>                            |  |
|--|--|
| Physical state                               | : Liquid.                                      |
| Color  | : Yellow.                                      |
| Odor   | : Not available.                               |
| Odor threshold                               | : Not available.                               |
| рН   | : 8.5  |
| Melting point                                | : Not available.                               |
| Boiling point                                | : >100°C (>212°F)                              |
| Flash point                                  | : Closed cup: >98.889°C (>210°F)               |
| Evaporation rate                             | : Not available.                               |
| Flammability (solid, gas)                    | : Not available.                               |
| Lower and upper explosive (flammable) limits | : Not available.                               |
| Vapor pressure                               | : Not available.                               |
| Vapor density                                | : Not available.                               |
| Relative density                             | : 1.05   |
| Solubility                                   | : Miscible in water.                           |
| Partition coefficient: n-<br>octanol/water   | : Not available.                               |
| Auto-ignition temperature                    | : Not available.                               |
| Decomposition temperature                    | : Not available.                               |
| Viscosity                                    | : Dynamic (room temperature): 70 mPa·s (70 cP) |
| VOC content                                  | : 244 g/L                                      |
|  |  |





### Section 10. Stability and reactivity

| Hazardous decomposition products   | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |
|------------------------------------|--|
| Incompatible materials             | : Reactive or incompatible with the following materials: oxidizing materials, acids and alkalis.       |
| Conditions to avoid                | : No specific data.  |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur.                      |
| Chemical stability                 | : The product is stable.   |
| Reactivity                         | : No specific test data related to reactivity available for this product or its ingredients.           |

### Section 11. Toxicological information

#### Information on toxicological effects

#### Acute toxicity

| Product/ingredient name | Result                   | Species | Dose                    | Exposure |
|-------------------------|--------------------------|---------|-------------------------|----------|
| N-methyl-2-pyrrolidone  | LD50 Dermal<br>LD50 Oral |         | 8 g/kg<br>2014 mg/kg    | -        |
| Triethylamine           | LD50 Oral                |         | 3914 mg/kg<br>460 mg/kg | -        |

#### Irritation/Corrosion

| Product/ingredient name                 | Result   | Species          | Score | Exposure         | Observation |
|---|--|------------------|-------|------------------|-------------|
| N-methyl-2-pyrrolidone<br>Triethylamine | Eyes - Moderate irritant<br>Skin - Mild irritant | Rabbit<br>Rabbit | -     | 100 mg<br>365 mg | -           |

### Sensitization

There is no data available.

### Carcinogenicity

There is no data available.

#### Specific target organ toxicity (single exposure)

| Name                                    |    | Route of exposure | Target organs  |
|---|----|-------------------|--|
| N-methyl-2-pyrrolidone<br>Triethylamine | 0, |                   | Respiratory tract irritation<br>Respiratory tract irritation |

#### Specific target organ toxicity (repeated exposure)

There is no data available.

#### Aspiration hazard

There is no data available.

### Information on the likely : Der

: Dermal contact. Eye contact. Ingestion.

routes of exposure

### xposure

#### Potential acute health effects Eye contact

- : Causes serious eye irritation.
- Inhalation : May cause respiratory irritation. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.





# Section 11. Toxicological information

| Skin | contact |
|------|---------|
|      |         |

- : Causes skin irritation.
- **Ingestion** : Irritating to mouth, throat and stomach.

### Symptoms related to the physical, chemical and toxicological characteristics

| Eye contact  | <ul> <li>Adverse symptoms may include the following:<br/>pain or irritation<br/>watering<br/>redness</li> </ul>   |
|--------------|---|
| Inhalation   | : Adverse symptoms may include the following:<br>respiratory tract irritation<br>coughing<br>reduced fetal weight<br>increase in fetal deaths<br>skeletal malformations |
| Skin contact | : Adverse symptoms may include the following:<br>irritation<br>redness<br>reduced fetal weight<br>increase in fetal deaths<br>skeletal malformations                    |
| Ingestion    | <ul> <li>Adverse symptoms may include the following:<br/>reduced fetal weight<br/>increase in fetal deaths<br/>skeletal malformations</li> </ul>                        |

| Delayed and immediate effect   | and also chronic effects from short and long term expo | <u>sure</u> |
|--------------------------------|--|-------------|
| <u>Short term exposure</u>     |  |             |
| Potential immediate effects    | No known significant effects or critical hazards.      |             |
| Potential delayed effects      | No known significant effects or critical hazards.      |             |
| Long term exposure             |  |             |
| Potential immediate<br>effects | No known significant effects or critical hazards.      |             |
| Potential delayed effects      | No known significant effects or critical hazards.      |             |
| Potential chronic health effe  | <u>s</u>   |             |
| General                        | No known significant effects or critical hazards.      |             |
| Carcinogenicity                | No known significant effects or critical hazards.      |             |
| Mutagenicity                   | No known significant effects or critical hazards.      |             |
| Teratogenicity                 | May damage the unborn child.                           |             |
| Developmental effects          | No known significant effects or critical hazards.      |             |
| Fertility effects              | No known significant effects or critical hazards.      |             |

### Numerical measures of toxicity

### Acute toxicity estimates

| Route  | ATE value                                  |
|--------|--|
| Dermal | 17433.5 mg/kg<br>23663 mg/kg<br>236.6 mg/L |





## Section 12. Ecological information

#### **Toxicity**

| Product/ingredient name | Result | Species   | Exposure             |
|-------------------------|--------|---|----------------------|
| , , , ,                 |        | Daphnia - Daphnia magna<br>Fish - Lepomis macrochirus | 48 hours<br>96 hours |

#### Persistence and degradability

There is no data available.

#### **Bioaccumulative potential**

| Product/ingredient name | LogPow | BCF  | Potential |
|-------------------------|--------|------|-----------|
| N-methyl-2-pyrrolidone  | -0.46  | -    | low       |
| Triethylamine           | 1.45   | <0.5 | low       |

#### Mobility in soil

Soil/water partition coefficient (Koc) : Not available.

#### Other adverse effects

: No known significant effects or critical hazards.

### Section 13. Disposal considerations

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

#### United States - RCRA Toxic hazardous waste "U" List

| Ingredient    | CAS #    |        | Reference<br>number |
|---------------|----------|--------|---------------------|
| Triethylamine | 121-44-8 | Listed | U404                |

### Section 14. Transport information

|                            | DOT Classification | IMDG   | ΙΑΤΑ           |
|----------------------------|--------------------|--|----------------|
| UN number                  | Not regulated.     | Not regulated.                                       | Not regulated. |
| UN proper<br>shipping name | -                  | -  | -              |
|                            |                    |  |                |
|                            | Tel · +1.4         | 388-GHS-7769 (447-7769) / +1-450-GHS-7767 (447-7767) | 0/12           |





# Section 14. Transport information

| Transport<br>hazard class(es) | -   | -   | -   |
|-------------------------------|-----|-----|-----|
| Packing group                 | -   | -   | -   |
| Environmental<br>hazards      | No. | No. | No. |
| Additional information        | -   | -   | -   |

**AERG** : Not applicable.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL 73/78 and the IBC Code

### Section 15. Regulatory information

|   | -  |
|---|--|
| U.S. Federal regulations  | : TSCA 8(a) PAIR: 1-(2-Butoxy-1-methylethoxy)propan-2-ol                 |
|   | TSCA 8(a) CDR Exempt/Partial exemption: Not determined                   |
|   | United States inventory (TSCA 8b): At least one component is not listed. |
|   | Clean Water Act (CWA) 311: Triethylamine                                 |
| Clean Air Act Section 112<br>(b) Hazardous Air<br>Pollutants (HAPs) | : Listed   |
| Clean Air Act Section 602<br>Class I Substances                     | : Not listed   |
| Clean Air Act Section 602<br>Class II Substances                    | : Not listed   |
| DEA List I Chemicals<br>(Precursor Chemicals)                       | : Not listed   |
| DEA List II Chemicals<br>(Essential Chemicals)                      | : Not listed   |
| SARA 302/304  |  |
| Composition/information   | on ingredients   |
| No products were found.   |  |
| SARA 304 RQ   | : Not applicable.  |
| SARA 311/312  |  |
| Composition/information   | on ingredients   |



# Section 15. Regulatory information

| Name                                    | <br>hazard      | Sudden<br>release of<br>pressure |            | (acute)<br>health | Delayed<br>(chronic)<br>health<br>hazard |
|---|-----------------|----------------------------------|------------|-------------------|--|
| N-methyl-2-pyrrolidone<br>Triethylamine | <br>No.<br>Yes. | -                                | No.<br>No. | Yes.<br>Yes.      | Yes.<br>No.                              |

#### SARA 313

|                                 | Product name | CAS number | %                |
|---------------------------------|--------------|------------|------------------|
| Form R - Reporting requirements |              |            | 10 - 30<br>1 - 5 |
| Supplier notification           |              |            | 10 - 30<br>1 - 5 |

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

#### State regulations

**Massachusetts** 

: The following components are listed: N-methyl-2-pyrrolidone; Triethylamine

**New York** 

: The following components are listed: Triethylamine

New Jersey

: The following components are listed: N-methyl-2-pyrrolidone; Triethylamine

Pennsylvania

: The following components are listed: N-methyl-2-pyrrolidone; Triethylamine

### California Prop. 65

**WARNING:** This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

| Ingredient name        | Cancer |      | level | Maximum<br>acceptable dosage<br>level |
|------------------------|--------|------|-------|---------------------------------------|
| N-methyl-2-pyrrolidone | No.    | Yes. | No.   | 3200 µg/day (inhalation)              |

#### International regulations

| international regulations                                     |  |
|---|--|
| International lists   | <ul> <li>Australia inventory (AICS): Not determined.</li> <li>China inventory (IECSC): All components are listed or exempted.</li> <li>Japan inventory: Not determined.</li> <li>Korea inventory: All components are listed or exempted.</li> <li>Malaysia Inventory (EHS Register): Not determined.</li> <li>New Zealand Inventory of Chemicals (NZIoC): All components are listed or exempted.</li> <li>Philippines inventory (PICCS): All components are listed or exempted.</li> <li>Taiwan inventory (CSNN): Not determined.</li> </ul> |
| Chemical Weapons<br>Convention List Schedule<br>I Chemicals   | : Not listed   |
| Chemical Weapons<br>Convention List Schedule<br>II Chemicals  | : Not listed   |
| Chemical Weapons<br>Convention List Schedule<br>III Chemicals | : Not listed   |





### Section 16. Other information

### **History**

| Date of issue mm/dd/yyyy<br>Version<br>Revised Section(s)<br>Prepared by | : | 09/15/2014<br>1<br>Not applicable.<br>KMK Regulatory Services Inc.  |
|--|---|---|
| Key to abbreviations   | : | ATE = Acute Toxicity Estimate<br>BCF = Bioconcentration Factor<br>GHS = Globally Harmonized System of Classification and Labelling of Chemicals<br>IATA = International Air Transport Association<br>IBC = International Air Transport Association<br>IMDG = International Maritime Dangerous Goods<br>LogPow = logarithm of the octanol/water partition coefficient<br>MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships,<br>1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)<br>UN = United Nations |

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be

used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

