

SAFETY DATA SHEET

US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date 01-Dec-2023	Revision Date 01-Dec-2023	Revision Number 1
1. Identification		
Product identifier		
Product Name	Antique White Milk Paint	
Other means of identification	<u>1</u>	
Product Code(s)	B158	
Synonyms	None	
Recommended use of the ch	emical and restrictions on use	
Recommended use	Wood paint	
Restrictions on use	Use only for intended applications	
Details of the supplier of the	safety data sheet	
Manufacturer Address General Finishes 2462 Coporate Circle East Troy, WI 53120 Phone 1-800-783-6050	Distributor Wood Essence 2343 1st Ave North, unit B Saskatoon, SK S7K 2A2 Phone 306-955-8775 Dover Finishing Products 180 Ave Du Voyageur Pointe-Claire, QC H9R6A8 Phone 514-697-3000 Lee Valley Tools 1090 Morrison Drive Ottawa, ON K2H1C2 Phone 613-596-0350	
Emergency telephone numbe	<u>er</u>	
Emergency telephone	24 Hour Emergency Phone Number Chemtrec 1-800-424-9300 +1 703 527 3887 (CHEMTREC International)	

2. Hazard(s) identification

Classification

This product is not considered hazardous by either the US 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) or the Canadian Workplace Hazardous Material Information System (WHMIS 2015).

Label elements

Hazard statements

Not classified.

Other information

No information available.

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

Chemical name	CAS No.	Weight-%	Information Review	Date HMIRA filed and date exemption granted (if applicable)
Titanium dioxide	13463-67-7	10 - 30	-	-
Limestone	1317-65-3	3 - 7	-	-
Talc	14807-96-6	1 - 5	-	-
Silicon dioxide	7631-86-9	1 - 5	-	-
Aluminum oxide	1344-28-1	1 - 5	-	-
Propylene glycol	57-55-6	1 - 5	-	-

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

Inhalation	Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.
Skin contact	Wash skin with soap and water.
Ingestion	Rinse mouth.
Most important symptoms and effe	cts, both acute and delayed
Symptoms	No information available.
Effects of Exposure	No information available.
Indication of any immediate medica	al attention and special treatment needed
Note to physicians	Treat symptomatically.
5. Fire-fighting measures	
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	No information available.

Specific hazards arising from the No information available. **chemical**

Explosion data

Sensitivity to mechanical impac	t None.
Sensitivity to static discharge	None.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Titanium dioxide	TWA: 0.2 mg/m ³ nanoscale	TWA: 15 mg/m ³ total dust	IDLH: 5000 mg/m ³
13463-67-7	respirable particulate matter	(vacated) TWA: 10 mg/m ³ total	
	TWA: 2.5 mg/m ³ finescale	dust	TWA: 0.3 mg/m ³ CIB 63
	respirable particulate matter		ultrafine, including engineered
			nanoscale
Limestone	-	TWA: 15 mg/m ³ total dust	TWA: 10 mg/m ³ total dust
1317-65-3		TWA: 5 mg/m ³ respirable	TWA: 5 mg/m ³ respirable dust
		fraction	
		(vacated) TWA: 15 mg/m ³ total	
		dust	
		(vacated) TWA: 5 mg/m ³	
		respirable fraction	
Talc	TWA: 2 mg/m ³ particulate	TWA: 20 mppcf if 1% Quartz	
14807-96-6	matter containing no asbestos	or more, use Quartz limit	TWA: 2 mg/m ³ containing no
	and <1% crystalline silica,	(vacated) TWA: 2 mg/m ³	Asbestos and <1% Quartz
	respirable particulate matter	respirable dust <1% Crystalline	respirable dust
		silica, containing no Asbestos	

				f if 1% Quartz or Quartz limit		
Silicon dioxide 7631-86-9	-			-		IDLH: 3000 mg/m ³ TWA: 6 mg/m ³
Aluminum oxide 1344-28-1	TWA: 1 mg/m ³ resp particulate matte		fra (vacated) TWA d (vacated) T	/m ³ total dust m ³ respirable ction : 10 mg/m ³ total lust WA: 5 mg/m ³ le fraction		-
Chemical name	Alberta	Britis	h Columbia	Ontario		Quebec
Titanium dioxide 13463-67-7	TWA: 10 mg/m ³		A: 10 mg/m ³ A: 3 mg/m ³	TWA: 10 mg	ı/m³	TWA: 10 mg/m ³
Limestone 1317-65-3	TWA: 10 mg/m ³	TW	A: 10 mg/m ³ A: 3 mg/m ³ L: 20 mg/m ³	-		TWA: 10 mg/m ³
Talc 14807-96-6	TWA: 2 mg/m ³	TW	A: 2 mg/m ³	TWA: 2 mg/	′m³	TWA: 2 mg/m ³
Aluminum oxide 1344-28-1	TWA: 10 mg/m ³	TWA	1.0 mg/m ³	TWA: 1 mg/	′m³	TWA: 10 mg/m ³
Propylene glycol 57-55-6	-		-	TWA: 10 mg TWA: 50 pp TWA: 155 mg	om	-

Chemical name	Manitoba	New Brunswick	Newfoundland and	Nova Scotia
			Labrador	
Titanium dioxide	TWA: 0.2 mg/m ³	TWA: 10 mg/m ³	TWA: 0.2 mg/m ³	TWA: 0.2 mg/m ³
	TWA: 2.5 mg/m ³	_	TWA: 2.5 mg/m ³	TWA: 2.5 mg/m ³
Talc	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
Titanium dioxide	TWA: 10 mg/m ³	TWA: 0.2 mg/m ³	TWA: 10 mg/m ³	TWA: 30 mppcf
	STEL: 20 mg/m ³	TWA: 2.5 mg/m ³	STEL: 20 mg/m ³	TWA: 10 mg/m ³
			-	STEL: 20 mg/m ³
Limestone	TWA: 10 mg/m ³		TWA: 10 mg/m ³	TWA: 30 mppcf
	STEL: 20 mg/m ³		STEL: 20 mg/m ³	TWA: 10 mg/m ³
				STEL: 20 mg/m ³
Talc	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 20 mppcf
Silicon dioxide				TWA: 300 particle/mL
				TWA: 20 mppcf
				TWA: 2 mg/m ³
Aluminum oxide	TWA: 10 mg/m ³		TWA: 10 mg/m ³	TWA: 30 mppcf
	STEL: 20 mg/m ³		STEL: 20 mg/m ³	TWA: 10 mg/m ³
	-		-	STEL: 20 mg/m ³

Appropriate engineering controls

Engineering controls

Showers Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection

If splashes are likely to occur, wear safety glasses with side-shields.

Hand protection	No special protective equipment required.
Skin and body protection	No special protective equipment required.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Information on basic physical and of Appearance	chemical properties	
Physical state	Liquid	
Color	White	
Odor	Slight	
Odor threshold	No information available	
Property	<u>Values</u>	Remarks • Method
рН	7.5 - 8.8	
Melting point / freezing point		No data available
Initial boiling point and boiling range	je	No data available
Flash point		No data available
Evaporation rate		No data available
Flammability		No data available
Flammability Limit in Air		
Upper flammability or explosive		No data available
limits		
Lower flammability or explosive		No data available
limits Vanar processo		No data available
Vapor pressure Relative vapor density		No data available No data available
• •	11.4	No dala avaliable
Relative density Water solubility	Soluble in water	
Solubility(ies)	Soluble III water	No data available
Partition coefficient		No data available
Autoignition temperature		No data available
Decomposition temperature		No data available
Kinematic viscosity		No data available
Dynamic viscosity	1500 - 2500 cP	
,		
Other information		
Explosive properties	No information available.	
Oxidizing properties	No information available.	
Softening point	No information available	
Molecular weight	No information available	
VOC content	No information available	
VOC	< 50 g/L	
Liquid Density	No information available	
Bulk density	No information available	
10. Stability and reactivity		

Reactivity	None under normal use conditions.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.

Conditions to avoid

Do not freeze.

Incompatible materials None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Specific test data for the substance or mixture is not available.	
Eye contact	Specific test data for the substance or mixture is not available.	
Skin contact	Specific test data for the substance or mixture is not available.	
Ingestion	Specific test data for the substance or mixture is not available.	
Symptoms related to the physical, chemical and toxicological characteristics		

Symptoms

No information available.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (oral)	41,966.00 mg/kg
ATEmix (dermal)	117,181.20 mg/kg
ATEmix (inhalation-dust/mist)	20.10 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide	> 10000 mg/kg (Rat)	-	= 5.09 mg/L (Rat)4 h
Silicon dioxide	= 7900 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 58.8 mg/L (Rat)4 h
Aluminum oxide	> 5000 mg/kg (Rat)	-	-
Propylene glycol	= 20 g/kg (Rat)	= 20800 mg/kg (Rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Titanium dioxide	A3	Group 2B	-	Х
13463-67-7				
Talc	-	Group 3	-	Х
14807-96-6				
Silicon dioxide	-	Group 3	-	-
7631-86-9				
Legend				
ACGIH (American Conference of Governmental Industrial Hygienists)				
A3 - Animal Carcinogen				
IARC (International Agency	IARC (International Agency for Research on Cancer)			

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

12. Ecological information

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Talc 14807-96-6	-	LC50: >100g/L (96h, Brachydanio rerio)	-	-
Silicon dioxide 7631-86-9	EC50: =440mg/L (72h, Pseudokirchneriella subcapitata)	LC50: =5000mg/L (96h, Brachydanio rerio)	-	EC50: =7600mg/L (48h, Ceriodaphnia dubia)
Propylene glycol 57-55-6	EC50: =19000mg/L (96h, Pseudokirchneriella subcapitata)	LC50: =51600mg/L (96h, Oncorhynchus mykiss) LC50: 41 - 47mL/L (96h, Oncorhynchus mykiss) LC50: =51400mg/L (96h, Pimephales promelas) LC50: =710mg/L (96h, Pimephales promelas)	-	EC50: >1000mg/L (48h, Daphnia magna)

Persistence and degradability

No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Propylene glycol	-1.07
57-55-6	

Other adverse effects

No information available.

13. Disposal considerations

Disposal methods	
Waste from residues/unused products	Dispose of in accordance with local regulations, Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

14. Transport information

DOT	Not regulated
TDG	Not regulated
IATA	Not regulated
IMDG	Not regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Contact supplier for inventory compliance status

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Aluminum oxide - 1344-28-1	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

<u>California Proposition 65</u> This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65	
Titanium dioxide - 13463-67-7	Carcinogen	
Quartz - 14808-60-7	Carcinogen	
Methyl isobutyl ketone - 108-10-1	Carcinogen	
	Developmental	
Diethanolamine - 111-42-2	Carcinogen	
Carbon black - 1333-86-4	Carcinogen	
1,4-Dioxane - 123-91-1	Carcinogen	
Ethylene oxide - 75-21-8	Carcinogen	
	Developmental	
	Female Reproductive	
	Male Reproductive	
Propylene oxide - 75-56-9	Carcinogen	
Methanol - 67-56-1	Developmental	
Methyl chloride - 74-87-3	Developmental	
	Male Reproductive	
Acetaldehyde - 75-07-0	Carcinogen	
Formaldehyde - 50-00-0	Carcinogen	

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Titanium dioxide 13463-67-7	х	Х	Х
Limestone 1317-65-3	Х	X	Х
Talc 14807-96-6	Х	X	Х
Silicon dioxide 7631-86-9	-	X	Х
Aluminum oxide 1344-28-1	Х	X	Х
Propylene glycol 57-55-6	Х	-	Х
Dipropylene glycol monomethyl ether 34590-94-8	Х	X	Х
Quartz 14808-60-7	Х	X	Х
Methyl isobutyl ketone 108-10-1	Х	X	Х
Diethanolamine 111-42-2	Х	X	Х
Carbon black 1333-86-4	Х	X	Х
1,4-Dioxane 123-91-1	Х	X	Х
Ethylene oxide 75-21-8	Х	X	Х
Propylene oxide 75-56-9	Х	X	Х

Methyl chloride 74-87-3	X	Х	Х
Acetaldehyde 75-07-0	X	Х	Х
Formaldehyde 50-00-0	X	Х	Х
Methanol 67-56-1	X	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information						
		lammability 0 lammability 0 Ith Hazard	Instability 0 Physical hazards 0	Special hazards - Personal protection X		
Key or legend to abbreviations and acronyms used in the safety data sheet						
Legend SVHC: Substances of Very High Concern for Authorization: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration LD50: 50% Lethal Dose						
Legend Section 8: Exposure c						
TWA TWA (time- Ceiling Maximum lin + Sensitizers	weighted average) mit value	STEL Sk*	STEL (Short Tern Skin designation	n Exposure Limit)		
Key literature references and sources for data used to compile the SDS U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) U.S. National Toxicology Program (NTP) New Zealand's Chemical Classification and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization						
Issuing Date	01-Dec-2023					
Revision Date	01-Dec-2023					

Revision Note Disclaimer Initial Release.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet