

SAFETY DATA SHEET

US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date 01-Dec-2023 Revision Date 01-Dec-2023 **Revision Number** 1 1. Identification Product identifier **Product Name Tuscan Red Milk Paint** Other means of identification Product Code(s) B185 Synonyms None Recommended use of the chemical and restrictions on use Wood paint **Recommended use** Use only for intended applications **Restrictions on use** Details of the supplier of the safety data sheet Manufacturer Address **Distributor General Finishes** Wood Essence 2462 Coporate Circle 2343 1st Ave North, unit B East Troy, WI 53120 Saskatoon, SK S7K 2A2 Phone 1-800-783-6050 Phone 306-955-8775 **Dover Finishing Products** 180 Ave Du Voyageur Pointe-Claire, QC H9R6A8 Phone 514-697-3000 Lee Valley Tools 1090 Morrison Drive Ottawa, ON K2H1C2 Phone 613-596-0350 Emergency telephone number 24 Hour Emergency Phone Number **Emergency telephone** Chemtrec 1-800-424-9300 +1 703 527 3887 (CHEMTREC International) 2. Hazard(s) identification

Classification

Carcinogenicity

Category 1A

Label elements

Danger

Hazard statements

May cause cancer.



Precautionary Statements - Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing, eye protection and face protection. **Precautionary Statements - Response** IF exposed or concerned: Get medical advice/attention. **Precautionary Statements - Storage** Store locked up. **Precautionary Statements - Disposal** Dispose of contents and container to an approved waste disposal plant.

Other information

Causes mild skin irritation.

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

Chemical name	CAS No.	Weight-%	Information Review	Date HMIRA filed and date exemption granted (if applicable)
Limestone	1317-65-3	7 - 13	-	-
Talc	14807-96-6	1 - 5	-	-
2-(Dimethylamino)ethanol	108-01-0	0.1 - 1	-	-
Quartz	14808-60-7	0.1 - 1	-	-
Triethylene glycol monobutyl ether	143-22-6	0.1 - 1	-	-

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice	IF exposed or concerned: Get medical advice/attention.
Inhalation	Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.
Skin contact	Wash skin with soap and water.

Ingestion	Rinse mouth.
Most important symptoms and effe	cts, both acute and delayed
Symptoms	Prolonged contact may cause redness and irritation.
Effects of Exposure	May cause cancer.
Indication of any immediate medica	al attention and special treatment needed
Note to physicians	Treat symptomatically.
5. Fire-fighting measures	
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	No information available.
Specific hazards arising from the chemical	No information available.
Explosion data Sensitivity to mechanical impac Sensitivity to static discharge	ct None. None.
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.
6. Accidental release meas	sures
Personal precautions, protective ed	quipment and emergency procedures
Personal precautions	Ensure adequate ventilation.
Other information	Refer to protective measures listed in Sections 7 and 8.
Methods and material for containm	ent and cleaning up
Methods for containment	
	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Prevent further leakage or spillage if safe to do so. Pick up and transfer to properly labeled containers.
Methods for cleaning up Prevention of secondary hazards	
	Pick up and transfer to properly labeled containers.
Prevention of secondary hazards	Pick up and transfer to properly labeled containers.
Prevention of secondary hazards 7. Handling and storage	Pick up and transfer to properly labeled containers.
Prevention of secondary hazards 7. Handling and storage Precautions for safe handling	Pick up and transfer to properly labeled containers. Clean contaminated objects and areas thoroughly observing environmental regulations. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing.
Prevention of secondary hazards 7. Handling and storage Precautions for safe handling Advice on safe handling	Pick up and transfer to properly labeled containers. Clean contaminated objects and areas thoroughly observing environmental regulations. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing.
Prevention of secondary hazards 7. Handling and storage Precautions for safe handling Advice on safe handling Conditions for safe storage, includ	Pick up and transfer to properly labeled containers. Clean contaminated objects and areas thoroughly observing environmental regulations. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. ing any incompatibilities Keep containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing.

Control parameters

Exposure Limits

Chemical name	ACGIH TLV		OSH	A PEL		NIC	
Limestone	-			/m ³ total dust		: 10 mg/r	
1317-65-3				m ³ respirable	TWA: 5	mg/m ³	respirable dust
				ction : 15 mg/m³ total			
				ust			
				WA: 5 mg/m ³			
			respirab	le fraction			
Talc	TWA: 2 mg/m ³ parti		TWA: 20 mppc				00 mg/m³
14807-96-6	matter containing no a			e Quartz limit			³ containing no
	and <1% crystalline			WA: 2 mg/m ³			d <1% Quartz
	respirable particulate	matter		<1% Crystalline ng no Asbestos	•	respirat	ole dust
				f if 1% Quartz or			
				Quartz limit			
Quartz	TWA: 0.025 mg/m ³ re	spirable	,	50 µg/m ³	IDLH: 5	0 mg/m ³	respirable dust
14808-60-7	particulate matte			VA: 0.1 mg/m ³		0.05 mg/	
				ble dust		du	ist
				iO2 + 5) mppcf			
				rable fraction			
				O2 + 2) mg/m ³ rable fraction			
Chemical name	Alberta	Britis	h Columbia	Ontario			Quebec
Limestone	TWA: 10 mg/m ³		A: 10 mg/m ³	-			A: 10 mg/m ³
1317-65-3			A: 3 mg/m ³				J
			L: 20 mg/m ³				
Talc	TWA: 2 mg/m ³	TW	A: 2 mg/m³	TWA: 2 mg	/m³	TW	'A: 2 mg/m ³
14807-96-6				T 14/4 0			
2-(Dimethylamino)ethanol 108-01-0	-		-	TWA: 3 pp TWA: 11 mg			-
100-01-0				STEL: 6 pp			
				STEL: 22 mg			
Quartz	TWA: 0.025 mg/m ³	TWA:	0.025 mg/m ³	TWA: 0.10 m		TWA	A: 0.1 mg/m ³
14808-60-7	Ĵ		č		-		ũ

Chemical name	Manitoba	New Brunswick	Newfoundland and Labrador	Nova Scotia
Talc	TWA: 2 mg/m ³			
Quartz	TWA: 0.025 mg/m ³			

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
Limestone	TWA: 10 mg/m ³ STEL: 20 mg/m ³		TWA: 10 mg/m ³ STEL: 20 mg/m ³	TWA: 30 mppcf TWA: 10 mg/m ³ STEL: 20 mg/m ³
Talc	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 20 mppcf
Quartz	TWA: 0.05 mg/m ³	TWA: 0.025 mg/m ³	TWA: 0.05 mg/m ³	TWA: 300 particle/mL

Appropriate engineering controls

Engineering controls

Showers Eyewash stations Ventilation systems. Appearance

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Hand protection	Wear suitable gloves.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Color Odor Odor threshold	Liquid Red Slight No information available	
Property pH Melting point / freezing point Initial boiling point and boiling rang Flash point Evaporation rate Flammability Flammability Limit in Air Upper flammability or explosive	<u>Values</u> 7.5 - 8.8 Je	Remarks • Method No data available No data available No data available No data available No data available
limits Lower flammability or explosive limits Vapor pressure Relative vapor density Relative density Water solubility Solubility(ies) Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity	9.8 Soluble in water	No data available No data available
Dynamic viscosity Other information Explosive properties Oxidizing properties Softening point Molecular weight VOC content VOC Liquid Density Bulk density	1500 - 2500 cP No information available. No information available. No information available No information available < 50 g/L No information available No information available	

10. Stability and reactivity

```
Reactivity
```

None under normal use conditions.

Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Do not freeze.
Incompatible materials	None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Causes mild skin irritation. Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available.
Symptoms related to the physical, o	chemical and toxicological characteristics
Symptoms	Prolonged contact may cause redness and irritation.
Acute toxicity	
Numerical measures of toxicity	

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2-(Dimethylamino)ethanol	= 1803 mg/kg (Rat)	= 1220 mg/kg (Rabbit)	= 1641 ppm (Rat)4 h
Triethylene glycol monobutyl ether	= 5300 mg/kg (Rat)	= 3540 mg/kg (Rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes mild skin irritation. Classification based on data available for ingredients.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	May cause cancer. Contains a known or suspected carcinogen. Classification based on data available for ingredients.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA

Talc 14807-96-6 Quartz 14808-60-7	- A2	Group 3 Group 1	- Known	X X		
Legend ACGIH (American Conference of Governmental Industrial Hygienists) A2 - Suspected Human Carcinogen IARC (International Agency for Research on Cancer) Group 1 - Carcinogenic to Humans Group 3 - Not Classifiable as to Carcinogenicity in Humans NTP (National Toxicology Program) Known - Known Carcinogen OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present						
Reproductive toxicity	No information a	vailable.				
STOT - single exposure	OT - single exposure No information available.					
STOT - repeated exposure	exposure No information available.					
Aspiration hazard	No information a	vailable.				

12. Ecological information

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Talc 14807-96-6	-	LC50: >100g/L (96h, Brachydanio rerio)	-	-
2-(Dimethylamino)ethanol 108-01-0	EC50: =35mg/L (72h, Desmodesmus subspicatus)	LC50: =81mg/L (96h, Pimephales promelas)	-	EC50: =98.77mg/L (48h, Daphnia magna)
Triethylene glycol monobutyl ether 143-22-6	EC50: >500mg/L (72h, Desmodesmus subspicatus)	LC50: =2400mg/L (96h, Pimephales promelas)	-	EC50: >500mg/L (48h, Daphnia magna)

Persistence and degradability No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
2-(Dimethylamino)ethanol 108-01-0	-0.55
Triethylene glycol monobutyl ether 143-22-6	0.51

Other adverse effects

No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused	Dispose of in accordance with local regulations, Dispose of waste in accordance with
products	environmental legislation.

Contaminated packaging

Do not reuse empty containers.

14. Transport information

DOT	Not regulated
TDG	Not regulated
IATA	Not regulated
IMDG	Not regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Contact supplier for inventory compliance status

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Triethylene glycol monobutyl ether - 143-22-6	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

<u>CERCLA</u>

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65
Quartz - 14808-60-7	Carcinogen
1-Methyl-2-pyrrolidone - 872-50-4	Developmental
Ethylene oxide - 75-21-8	Carcinogen
	Developmental
	Female Reproductive
	Male Reproductive
1,4-Dioxane - 123-91-1	Carcinogen
Formaldehyde - 50-00-0	Carcinogen
Methanol - 67-56-1	Developmental
Methyl chloride - 74-87-3	Developmental
	Male Reproductive
Acetaldehyde - 75-07-0	Carcinogen
Propylene oxide - 75-56-9	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Limestone	Х	X	Х
1317-65-3			
Talc	Х	Х	Х
14807-96-6			
Propylene glycol monomethyl	Х	X	Х
ether			
107-98-2			
Propylene glycol	Х	-	Х
57-55-6			
Dipropylene glycol monomethyl	Х	Х	Х
ether			
34590-94-8		X	X
2-(Dimethylamino)ethanol	Х	Х	Х
108-01-0			X
Quartz	Х	X	Х
14808-60-7	~		X
Triethylene glycol monobutyl	Х	-	Х
ether			
143-22-6	X	X	X
1-Methyl-2-pyrrolidone 872-50-4	Х	Х	Х
	Х	X	Х
1,4-Dioxane 123-91-1	~	^	^
Ethylene oxide	Х	X	Х
	~	^	^
75-21-8 Propylene oxide	Х	X	Х
75-56-9	~	~	^
Methyl chloride	Х	X	Х
74-87-3	*	~	~
Acetaldehyde	Х	X	Х
75-07-0	Λ	^	^
Formaldehyde	Х	X	Х
50-00-0	~	^	^
Methanol	Х	X	Х
67-56-1	Λ	~	~
01001			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information					
NFPAHealth hazHMISHealth hazChronic Hazard Star Legend		bility 0	Instability 0 Physical hazards 0	Special hazards - Personal protection X	
Key or legend to abbreviations and	d acronyms used in the	e safety data s	heet		
Legend SVHC: Substances of Very High Cor PBT: Persistent, Bioaccumulative, a vPvB: Very Persistent and very Bioa STOT: Specific Target Organ Toxicity ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration LD50: 50% Lethal Dose	nd Toxic (PBT) Substan accumulative (vPvB) Sub				
LegendSection 8: Exposure controlTWATWA (time-weighCeilingMaximum limit va+Sensitizers	ted average)	STEL Sk*	STEL (Short Tern Skin designation	n Exposure Limit)	
Key literature references and sources for data used to compile the SDS U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) U.S. National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization					
Issuing Date	01-Dec-2023				
Revision Date	01-Dec-2023				
Revision Note	Initial Release.				

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet