Compliant SDS for GHS - Canada WHMIS 2015

SAFETY DATA SHEET

Clear Poly Flat



GHS product identifier	: Clear Poly Flat
Product code	: Not available.
Other means of identification	: Not available.
Product type	: Liquid.

Identified uses	
Wood coating.	

Supplier's details	: General Finishes 2462 Corporate Circle East Troy, WI 53120 U.S.A. Phone no.: 262-642-4545 Toll free no.: 1-800-783-6050 Fax no.: 262-642-4707 Web: GeneralFinishes.com
Emergency telephone number (with hours of operation)	: CHEMTREC, U.S.: 1-800-424-9300 International: +1-703-527-3887 (24/7)

Section 2. Hazard(s) identification

OSHA/HCS status	: While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.
Classification of the substance or mixture	: Not classified.
GHS label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Hazards not otherwise classified (US)	: None known.



Tel : +1-888-GHS-7769 (447-7769) / +1-450-GHS-7767 (447-7767) www.kmkregservices.com www.askdrluc.com www.ghssmart.com



Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Other means of identification

: Not available.

Ingredient name	% (w/w)	CAS number
(2-Methoxymethylethoxy)propanol	1 - 5	34590-94-8
3-Butoxypropan-2-ol	1 - 5	5131-66-8
Silica, amorphous, fumed, crystfree	0.5 - 1.5	112945-52-5

United States: The exact percentage (concentration) in the composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

Canada: The exact percentage (concentration) in the composition has been withheld as a trade secret in accordance with the amended HPR as of April 2018.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	 Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: Flush contaminated skin with plenty of water. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/	effects, acute and delayed
Potential acute health effe	<u>cts</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/sym	<u>otoms</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Indication of immediate me	dical attention and special treatment needed, if necessary
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.



Section 4. First aid measures

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: No specific fire or explosion hazard.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.
For emergency responders	f specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non- emergency personnel".
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	inment and cleaning up
Spill	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment blant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a icensed waste disposal contractor. Note: see Section 1 for emergency contact

information and Section 13 for waste disposal.





Section 7. Handling and storage

Precautions for safe handling	2
Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

United States

Occupational exposure limits

Ingredient name	Exposure limits
(2-Methoxymethylethoxy)propanol	ACGIH TLV (United States, 3/2019). Absorbed through skin. TWA: 100 ppm 8 hours. TWA: 606 mg/m ³ 8 hours. STEL: 150 ppm 15 minutes. STEL: 909 mg/m ³ 15 minutes. NIOSH REL (United States, 10/2016). Absorbed through skin. TWA: 100 ppm 10 hours. TWA: 600 mg/m ³ 10 hours. STEL: 150 ppm 15 minutes. STEL: 900 mg/m ³ 15 minutes. OSHA PEL (United States, 5/2018). Absorbed through skin. TWA: 100 ppm 8 hours. TWA: 600 mg/m ³ 8 hours.
3-Butoxypropan-2-ol Silica, amorphous, fumed, crystfree	None. NIOSH REL (United States, 10/2016). TWA: 6 mg/m ³ 10 hours.

<u>Canada</u>

Occupational exposure limits

Ingredient name	Exposure limits
(2-Methoxymethylethoxy)propanol	CA Alberta Provincial (Canada, 6/2018).
	Absorbed through skin.
	8 hrs OEL: 100 ppm 8 hours.
	15 min OEL: 909 mg/m ³ 15 minutes.
	8 hrs OEL: 606 mg/m ³ 8 hours.
	15 min OEL: 150 ppm 15 minutes.
	CA British Columbia Provincial (Canada,
	5/2019). Absorbed through skin.



Section 8. Exposure controls/personal protection

		TWA: 100 ppm 8 hours.
		STEL: 150 ppm 15 minutes.
		CA Quebec Provincial (Canada, 1/2014).
		Absorbed through skin.
		TWAEV: 100 ppm 8 hours.
		TWAEV: 606 mg/m ³ 8 hours.
		STEV: 150 ppm 15 minutes.
		STEV: 909 mg/m ³ 15 minutes.
		CA Ontario Provincial (Canada, 1/2018). Absorbed through skin.
		STEL: 150 ppm 15 minutes.
		TWA: 100 ppm 8 hours.
		CA Saskatchewan Provincial (Canada,
		7/2013). Absorbed through skin.
		STEL: 150 ppm 15 minutes.
		TWA: 100 ppm 8 hours.
Appropriate engineering : controls	Good general ventilation should be suff contaminants.	icient to control worker exposure to airborne
Environmental exposure : controls	Emissions from ventilation or work proc they comply with the requirements of er	ess equipment should be checked to ensure avironmental protection legislation.
Individual protection measures		
Hygiene measures :	eating, smoking and using the lavatory a Appropriate techniques should be used	to remove potentially contaminated clothing. sing. Ensure that eyewash stations and safety
Eye/face protection :	assessment indicates this is necessary gases or dusts. If contact is possible, the	oved standard should be used when a risk to avoid exposure to liquid splashes, mists, ne following protection should be worn, unless ee of protection: safety glasses with side-
Skin protection		
Hand protection :		complying with an approved standard should be al products if a risk assessment indicates this is

Body protection
 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Respiratory protection : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.





Section 9. Physical and chemical properties

Appearance

Physical state	1	Liquid.
Color	1	White.
Odor	1	Slight
Odor threshold	1	Not available.
рН	:	7.5 to 8.5
Melting/freezing point	1	Not available.
Initial boiling point and boiling range	:	Not available.
Flash point	1	Not available.
Evaporation rate	1	Not available.
Flammability (solid, gas)	1	Not available.
Lower and upper explosive (flammable) limits	1	Not available.
Vapor pressure	1	Not available.
Vapor density	1	Not available.
Relative density	1	1.07
Solubility	1	Soluble in water.
Solubility in water	:	Not available.
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature	1	Not available.
Decomposition temperature	:	Not available.
Viscosity	:	Not available.
VOC content	1	<250 g/L
Flow time (ISO 2431)	:	Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	The product is stable.
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Protect from freezing.
Incompatible materials	:	Reactive or incompatible with the following materials: oxidizing materials.
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.



Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
3-Butoxypropan-2-ol Silica, amorphous, fumed, crystfree	LD50 Dermal LD50 Oral		3100 mg/kg 3160 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
(2-Methoxymethylethoxy)	Eyes - Mild irritant	Rabbit	-	24 hours 500 mg	-
1	Skin - Mild irritant	Rabbit	-	500 mg	-

Sensitization

There is no data available.

Mutagenicity

There is no data available.

Carcinogenicity

Classification

Product/ingredient name	OSHA	IARC	NTP
Silica, amorphous, fumed, crystfree	-	3	-

Reproductive toxicity

There is no data available.

Teratogenicity

There is no data available.

Specific target organ toxicity (single exposure)

Name		Route of exposure	Target organs
Silica, amorphous, fumed, crystfree	Category 3		Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

There is no data available.

Aspiration hazard

There is no data available.

Information on the likely : Routes of entry anticipated: Oral, Dermal, Inhalation. routes of exposure

Potential acute health effects	<u>5</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.





Section 11. Toxicological information

Symptoms related to the p	hysical, chemical and toxicological characteristics
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.

Delayed and immediate effects and also chronic effects from short and long term exposure

<u>Short term exposure</u>	
Potential immediate effects	: No known significant effects or critical hazards.
Potential delayed effects	: No known significant effects or critical hazards.
<u>Long term exposure</u>	
Potential immediate effects	: No known significant effects or critical hazards.
Potential delayed effects	: No known significant effects or critical hazards.
Potential chronic health eff	<u>ects</u>
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	(vapors)	Inhalation (dusts and mists) (mg/ I)
3-Butoxypropan-2-ol	N/A	3100	N/A	N/A	N/A
Silica, amorphous, fumed, crystfree	3160	N/A	N/A	N/A	N/A

Section 12. Ecological information

Toxicity

There is no data available.

Persistence and degradability

There is no data available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
(2-Methoxymethylethoxy) propanol	0.004	-	low
3-Butoxypropan-2-ol	1.2	-	low





Section 12. Ecological information

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

: No known significant effects or critical hazards. Other adverse effects

Section 13. Disposal considerations

Disposal methods	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe
	recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of
	spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	TDG Classification	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-
Transport hazard class(es)	-	-	-	-
Packing group	-	-	-	-
Environmental hazards	No.	No.	No.	No.

AERG : Not applicable

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not available. to IMO instruments





Section 15. Regulatory information

•	•
U.S. Federal regulations	: TSCA 4(a) final test rules: Octamethylcyclotetrasiloxane
	TSCA 5(a)2 proposed significant new use rules : 5-Chloro-2-methyl-2H-isothiazol- 3-one
	TSCA 5(a)2 final significant new use rules: Perfluorooctanoic acid
	TSCA 8(a) PAIR : Acetaldehyde; (2-Methoxymethylethoxy)propanol; 1-(2-Butoxy- 1-methylethoxy)propan-2-ol; Siloxanes and Silicones, di-Me, hydroxy-terminated; Octamethylcyclotetrasiloxane
	TSCA 8(a) CDR Exempt/Partial exemption: Not determined
	Clean Water Act (CWA) 307: Ethylbenzene; Benzene; Toluene
	Clean Water Act (CWA) 311 : Styrene; Ethylbenzene; Benzene; Toluene; Formaldehyde Acetaldehyde; Xylene
Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs)	: Listed
Clean Air Act Section 602 Class I Substances	: Not listed
Clean Air Act Section 602 Class II Substances	: Not listed
DEA List I Chemicals (Precursor Chemicals)	: Not listed
DEA List II Chemicals (Essential Chemicals)	: Not listed
0.4.7.4.000/00.4	

SARA 302/304

Composition/information on ingredients

			SARA 302 TPQ		SARA 304 RQ	
Name	%	EHS	(lbs)	(gallons)	(lbs)	(gallons)
Ethylene oxide Formaldehyde	≤0.001 ≤0.00001	Yes. Yes.	1000 500	- 73.9	10 100	- 14.8

SARA 304 RQ

: 9171834.9 lbs / 4164013 kg [1028052.2 gal / 3891601 L]

SARA 311/312

Classification	: Not applicable.
----------------	-------------------

Composition/information on ingredients

Name	%	Classification
(2-Methoxymethylethoxy) propanol	≥3 - ≤4.9	FLAMMABLE LIQUIDS - Category 4 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2B
3-Butoxypropan-2-ol	≥1 - ≤3	FLAMMABLE LIQUIDS - Category 3 SKIN CORROSION/IRRITATION - Category 2 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A
Silica, amorphous, fumed, cryst free	≥1 - ≤1.7	SKIN CORROSION/IRRITATION - Category 2 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3

State regulations

Massachusetts

: The following components are listed: (2-Methoxymethylethoxy)propanol



Section 15. Regulatory information

New York

- New Jersey
- : None of the components are listed.
- : The following components are listed: (2-Methoxymethylethoxy)propanol
- Pennsylvania
- : The following components are listed: (2-Methoxymethylethoxy)propanol

California Prop. 65

MARNING: This product can expose you to chemicals including Ethylene oxide and Benzene, which are known to the State of California to cause cancer and birth defects or other reproductive harm. This product can expose you to chemicals including Styrene, Ethylbenzene, 1,4-Dioxane, α-Methyl styrene, Dibromoacetonitrile, Cumene, Formaldehyde and Acetaldehyde, which are known to the State of California to cause cancer, and Perfluorooctanoic acid and Toluene, which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Styrene	Yes.	-
Ethylbenzene	Yes.	-
1,4-Dioxane	Yes.	-
Ethylene oxide	Yes.	Yes.
α-Methyl styrene	-	-
Perfluorooctanoic acid	-	-
Dibromoacetonitrile	-	-
Cumene	-	-
Benzene	Yes.	Yes.
Toluene	-	Yes.
Formaldehyde	Yes.	-
Acetaldehyde	Yes.	-

Canadian lists

Canadian NPRI

- : The following components are listed: (2-Methoxymethylethoxy)propanol; 1-(2-Butoxy-1-methylethoxy)propan-2-ol; 3-Butoxypropan-2-ol
- CEPA Toxic substances
- : None of the components are listed.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Canada	
United States	(TSCA 8b)

- : Not determined.
- 8b) : All components are active or exempted.



Section 16. Other information

Procedure used to derive the classification

	Classification	Justification
Not classified.		
History		
Date of issue/Date of revision	: 01/30/2021	
Date of previous issue	: 05/15/2018	
Version	: 4	
Prepared by	: KMK Regulatory Services Inc.	
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classificatio IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition co MARPOL = International Convention for the Prevent as modified by the Protocol of 1978. ("Marpol" = ma N/A = Not available SGG = Segregation Group UN = United Nations	efficient ion of Pollution From Ships, 1973

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries,

assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

