

SAFETY DATA SHEET

US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date 16-Sep-2022 Revision Date 16-Sep-2022 Revision Number 1

1. Identification

Product identifier

Product Name Enduro 2K Polyurethane White Semi-Gloss

Other means of identification

Product Code(s) BLK791

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Wood coating

Restrictions on useUse only for intended applications

Details of the supplier of the safety data sheet

Manufacturer AddressDistributorGeneral FinishesWood Essence

 2462 Coporate Circle
 2343 1st Ave North, unit B

 East Troy, WI 53120
 Saskatoon, SK S7K 2A2

 Phone 1-800-783-6050
 Phone 306-955-8775

Dover Finishing Products 180 Ave Du Voyageur Pointe-Claire, QC H9R6A8 Phone 514-697-3000

Lee Valley Tools 1090 Morrison Drive Ottawa, ON K2H1C2 Phone 613-596-0350

Emergency telephone number

Emergency telephone 24 Hour Emergency Phone Number

Chemtrec 1-800-424-9300

+1 703 527 3887 (CHEMTREC International)

2. Hazard(s) identification

Classification

This product is not considered hazardous by either the US 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) or the Canadian Workplace Hazardous Material Information System (WHMIS 2015)

Label elements

None

Hazard statements

None.

Other information

No information available.

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

Chemical name	CAS No	Weight-%	Information Review	Date HMIRA filed and date exemption granted (if applicable)
Titanium dioxide	13463-67-7	10 - 30	-	-
Dipropylene glycol monomethyl ether	34590-94-8	1 - 5	-	-

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids.

Skin contact Wash skin with soap and water.

Ingestion Rinse mouth.

Most important symptoms and effects, both acute and delayed

Symptoms Prolonged contact may cause redness and irritation.

Indication of any immediate medical attention and special treatment needed

5. Fire-fighting measures

surrounding environment.

Unsuitable extinguishing media No information available.

Specific hazards arising from the No information available.

chemical

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Revision Date: 16-Sep-2022

Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep from freezing.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV		OSH	A PEL		NIOSH
Titanium dioxide 13463-67-7	TWA: 0.2 mg/m³ nan respirable particulate TWA: 2.5 mg/m³ fine respirable particulate	matter escale	TWA: 15 mg	/m ³ total dust	TWA: TW	DLH: 5000 mg/m³ 2.4 mg/m³ CIB 63 fine A: 0.3 mg/m³ CIB 63 ne, including engineered nanoscale
Dipropylene glycol monomethyl ether 34590-94-8	TWA: 50 ppm		TWA: 6i (vacated) TV (vacated) TV (vacated) ST (vacated) ST (vaca	100 ppm 00 mg/m³ WA: 100 ppm VA: 600 mg/m³ TEL: 150 ppm EL: 900 mg/m³ ited) S*		IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m³ STEL: 150 ppm STEL: 900 mg/m³
Chemical name	Alberta	Britis	h Columbia	Ontario		Quebec
Titanium dioxide 13463-67-7	TWA: 10 mg/m ³	TW	0 mg/m³ (total dust) A: 3 mg/m³ able fraction)	TWA: 10 mg	/m³	TWA: 10 mg/m ³
Dipropylene glycol monomethyl ether 34590-94-8	TWA: 100 ppm TWA: 606 mg/m³ STEL: 150 ppm STEL: 909 mg/m³ Skin	TŴ	A: 100 ppm L: 150 ppm Skin	TWA: 100 p STEL: 150 p Skin		TWA: 100 ppm TWA: 606 mg/m³ STEL: 150 ppm STEL: 909 mg/m³ Skin

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection If splashes are likely to occur, wear safety glasses with side-shields.

Hand protection No special protective equipment required.

Skin and body protectionNo special protective equipment required.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state Liquid
Color White
Odor Slight

Odor threshold No information available

<u>Property</u>	<u>values</u>	Remarks • Method
На	8.0 - 9.0	

Melting point / freezing pointNo data availableInitial boiling point and boiling rangeNo data availableFlash pointNo data availableEvaporation rateNo data availableFlammabilityNo data available

Flammability Limit in Air

Upper flammability or explosive

No data available

No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableVapor densityNo data available

Relative density 10.05

Water solubility Soluble in water

Solubility(ies)No data availablePartition coefficientNo data availableAutoignition temperatureNo data availableDecomposition temperatureNo data availableKinematic viscosityNo data available

Dynamic viscosity 600 - 700 cP

Other information

Explosive properties

Oxidizing properties

No information available.

No information available.

No information available

No information available

No information available

No information available

VOC < 200 g/L

Liquid Density No information available

Bulk density No information available

10. Stability and reactivity

Reactivity None under normal use conditions.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Do not freeze.

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contactCauses mild skin irritation. Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Prolonged contact may cause redness and irritation.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (oral) 45,028.50 mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide	> 10000 mg/kg (Rat)	-	= 5.09 mg/L (Rat)4 h
Dipropylene glycol monomethyl ether	= 5.35 g/kg (Rat)	= 9500 mg/kg (Rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Causes mild skin irritation. Classification based on data available for ingredients.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity This product contains titanium dioxide in a non-respirable form. Inhalation of titanium

dioxide is unlikely to occur from exposure to this product.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Titanium dioxide	A3	Group 2B	-	X
13463-67-7				

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

12. Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Dipropylene glycol monomethyl	-	LC50: >10000mg/L	-	LC50: =1919mg/L (48h,
ether		(96h, Pimephales		Daphnia magna)
34590-94-8		promelas)		-

Persistence and degradability

No information available.

Bioaccumulation

Component Information

component information				
Chemical name	Partition coefficient			
Dipropylene glycol monomethyl ether	0.35			
34590-94-8				

Mobility in soil No information available.

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

products

Waste from residues/unused

Dispose of waste in accordance with environmental legislation, Dispose of in accordance

with local regulations.

Contaminated packaging Do not reuse empty containers.

14. Transport information

DOT Not regulated

TDG Not regulated

<u>IATA</u> Not regulated

IMDG Not regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Contact supplier for inventory compliance status

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %	
Dipropylene glycol monomethyl ether - 34590-94-8	1.0	

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65
Titanium dioxide - 13463-67-7	Carcinogen
Ethanol - 64-17-5	Carcinogen
	Developmental

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Titanium dioxide	Χ	X	X

13463-67-7			
Dipropylene glycol monomethyl ether 34590-94-8	Х	Х	Х
Isopropyl alcohol 67-63-0	Х	Х	X
Triethylene glycol monobutyl ether 143-22-6	Х	-	X
Diethylene glycol monobutyl ether 112-34-5	Х	-	Х
Ammonium hydroxide 1336-21-6	Х	X	X
Ethanolamine 141-43-5	Х	Х	Х
2,6-Di-tert-butyl-p-cresol 128-37-0	Х	Х	Х
Cyclohexane 110-82-7	Х	X	Х
Ethanol 64-17-5	Х	Х	Х
Phosphoric acid 7664-38-2	Х	X	Х
Propylene glycol 57-55-6	Х	-	Х
Zinc pyrithione 13463-41-7	Х	-	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA
HMISHealth hazards0Flammability0Instability0Special hazards-Chronic Hazard Star Legend*= Chronic Health Hazard*= Chronic Health Hazard* Physical hazards0Personal protectionX

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Issuing Date 16-Sep-2022

Revision Date 16-Sep-2022

Revision Note Initial Release.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet