

SAFETY DATA SHEET

US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date 16-Sep-202	2 Revision Date 16-Sep-2022	Revision Number 1
1. Identification		
Product identifier		
Product Name	Enduro 2K Polyurethane White Flat	
Other means of identifica	tion	
Product Code(s)	BLK793	
Synonyms	None	
Recommended use of the	chemical and restrictions on use	
Recommended use	Wood coating	
Restrictions on use	Use only for intended applications	
Details of the supplier of	the safety data sheet	
Manufacturer Address General Finishes 2462 Coporate Circle East Troy, WI 53120 Phone 1-800-783-6050	Distributor Wood Essence 2343 1st Ave North, unit B Saskatoon, SK S7K 2A2 Phone 306-955-8775 Dover Finishing Products 180 Ave Du Voyageur Pointe-Claire, QC H9R6A8 Phone 514-697-3000 Lee Valley Tools 1090 Morrison Drive Ottawa, ON K2H1C2 Phone 613-596-0350	
Emergency telephone nu		
Emergency telephone	24 Hour Emergency Phone Number Chemtrec 1-800-424-9300 +1 703 527 3887 (CHEMTREC International)	

2. Hazard(s) identification

Classification

This product is not considered hazardous by either the US 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) or the Canadian Workplace Hazardous Material Information System (WHMIS 2015)

Label elements

None

Hazard statements

None.

Other information No information available.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Information Review	Date HMIRA filed and date exemption granted (if applicable)
Titanium dioxide	13463-67-7	10 - 30	-	-
Dipropylene glycol monomethyl ether	34590-94-8	1 - 5	-	-

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

Inhalation	halation Remove to fresh air.				
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.				
Skin contact	Wash skin with soap and water.				
Ingestion	Rinse mouth.				
Most important symptoms and effects, both acute and delayed					
Symptoms	Prolonged contact may cause redness and irritation.				
Indication of any immediate medical attention and special treatment needed					
Note to physicians	Treat symptomatically.				
5. Fire-fighting measures					
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.				
Unsuitable extinguishing media	No information available.				

Specific hazards arising from the No information available.

chemical

Explosion data Sensitivity to mechanical impact None. Sensitivity to static discharge

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. precautions for fire-fighters Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

None.

Personal precautions Ensure adequate ventilation.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Advice on safe handling

Conditions for safe storage, including any incompatibilities

Keep from freezing. **Storage Conditions**

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV		OSH	A PEL		NIOSH
Titanium dioxide	TWA: 0.2 mg/m ³ nanoscale		TWA: 15 mg	/m ³ total dust		DLH: 5000 mg/m ³
13463-67-7	respirable particulate matter					2.4 mg/m ³ CIB 63 fine
	TWA: 2.5 mg/m ³ finescale					'A: 0.3 mg/m ³ CIB 63
	respirable particulate matter				ultrafir	ne, including engineered
						nanoscale
Dipropylene glycol monomethyl	TWA: 50 ppm			100 ppm		IDLH: 600 ppm
ether				00 mg/m³		TWA: 100 ppm
34590-94-8				WA: 100 ppm		TWA: 600 mg/m ³
		(vacated) TWA: 600 mg/m ³			STEL: 150 ppm	
		(vacated) STEL: 150 ppm			STEL: 900 mg/m ³	
			(vacated) STEL: 900 mg/m ³ (vacated) S*			
			,	,		
	A 11	D '''		S*		
Chemical name	Alberta		h Columbia	Ontario		Quebec
Titanium dioxide	TWA: 10 mg/m ³	TWA: 1	0 mg/m ³ (total	TWA: 10 mg	/m³	TWA: 10 mg/m ³
13463-67-7			dust)			
			A: 3 mg/m ³			
		<u> </u>	able fraction)			
Dipropylene glycol monomethyl		TWA: 100 ppm		TWA: 100 p		TWA: 100 ppm
ether	TWA: 606 mg/m ³	STEL: 150 ppm		STEL: 150 p	pm	TWA: 606 mg/m ³
34590-94-8	STEL: 150 ppm		Skin	Skin		STEL: 150 ppm
	STEL: 909 mg/m ³					STEL: 909 mg/m ³
	Skin					Skin

Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, such	ch as personal protective equipment
Eye/face protection	If splashes are likely to occur, wear safety glasses with side-shields.
Hand protection	No special protective equipment required.
Skin and body protection	No special protective equipment required.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Information on basic physical and chemical properties

information on pasic physical and t	mennical properties	
Appearance		
Physical state	Liquid	
Color	White	
Odor	Slight	
Odor threshold	No information available	
Property	Values	Remarks • Method
Hq	8.0 - 9.0	
Melting point / freezing point		No data available
Initial boiling point and boiling rang	e	No data available
Flash point		No data available
Evaporation rate		No data available
Flammability		No data available
Flammability Limit in Air		No data available
Upper flammability or explosive		No data available
limits		
Lower flammability or explosive		No data available
limits		
Vapor pressure		No data available
Vapor density		No data available
Relative density	10.05	No data available
Water solubility	Soluble in water	
•		No data available
Solubility(ies) Partition coefficient		No data available
Autoignition temperature		No data available
Decomposition temperature		No data available
Kinematic viscosity	000 700 -D	No data available
Dynamic viscosity	600 - 700 cP	
Other information		
Other information	No information available.	
Explosive properties		
Oxidizing properties	No information available.	
Softening point	No information available	
Molecular weight	No information available	
VOC content	No information available	
VOC	< 200 g/L	
Liquid Density	No information available	

Bulk density

No information available

10. Stability and reactivit	1	10. Sta	bilitv	and	reactivity
-----------------------------	---	---------	--------	-----	------------

Reactivity	None under normal use conditions.
Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	None under normal processing.
Conditions to avoid	Do not freeze.
Incompatible materials	None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	Causes mild skin irritation. Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available.
Symptoms related to the physical,	chemical and toxicological characteristics
Symptoms	Prolonged contact may cause redness and irritation.
Acute toxicity	

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document: ATEmix (oral) 45,492.30 mg/kg

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide	> 10000 mg/kg (Rat)	-	= 5.09 mg/L (Rat)4 h
Dipropylene glycol monomethyl ether	= 5.35 g/kg (Rat)	= 9500 mg/kg (Rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes mild skin irritation. Classification based on data available for ingredients.		
Serious eye damage/eye irritation	No information available.		
Respiratory or skin sensitization	No information available.		
Germ cell mutagenicity	No information available.		
Carcinogenicity	This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product.		

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Titanium dioxide	A3	Group 2B	-	Х
13463-67-7				

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

12. Ecological information

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Dipropylene glycol monomethyl	-	LC50: >10000mg/L	-	LC50: =1919mg/L (48h,
ether		(96h, Pimephales		Daphnia magna)
34590-94-8		promelas)		

Persistence and degradability No information available.

Bioaccumulation

Component Information

Chemical name		Partition coefficient	
Dipropylene glycol monomethyl ether 34590-94-8		0.35	
Mobility in soil	No information available.		
Other adverse effects	No information available.		
13. Disposal consider	ations		

Waste treatment methods

Waste from residues/unused products	Dispose of waste in accordance with environmental legislation, Dispose of in accordance with local regulations.
Contaminated packaging	Do not reuse empty containers.

14. Transport information

DOT	Not regulated
TDG	Not regulated

IATA_	Not regulated
IMDG	Not regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Contact supplier for inventory compliance status

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Dipropylene glycol monomethyl ether - 34590-94-8	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65
Titanium dioxide - 13463-67-7	Carcinogen
Ethanol - 64-17-5	Carcinogen
	Developmental

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Titanium dioxide	Х	Х	Х

13463-67-7			
Dipropylene glycol monomethyl ether 34590-94-8	Х	X	Х
Limestone 1317-65-3	Х	X	X
Isopropyl alcohol 67-63-0	Х	X	X
Triethylene glycol monobutyl ether 143-22-6	Х	-	X
Diethylene glycol monobutyl ether 112-34-5	Х	-	X
Ammonium hydroxide 1336-21-6	Х	Х	Х
Ethanolamine 141-43-5	Х	X	X
2,6-Di-tert-butyl-p-cresol 128-37-0	Х	Х	Х
Cyclohexane 110-82-7	Х	X	Х
Ethanol 64-17-5	Х	Х	Х
Phosphoric acid 7664-38-2	Х	X	Х
Propylene glycol 57-55-6	Х	-	Х
Zinc pyrithione 13463-41-7	Х	-	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other inform	nation			
NFPA <u>HMIS</u> Chronic Hazard Star Leg	Health hazards 0 Health hazards 2 gend *= Chronic	Flammability 0 Flammability 0 Health Hazard	Instability 0 Physical hazards 0	Special hazards - Personal protection X
Key or legend to abb	reviations and acronyms	used in the safety data	sheet	
TWATWCeilingMaKey literature referenU.S. Environmental PreEuropean Food SafetyEPA (Environmental PrAcute Exposure GuideU.S. Environmental PreU.S. Environmental PreU.S. Environmental PreHazardous Substance	rotection Agency) line Level(s) (AEGL(s)) otection Agency Federal Ins otection Agency High Produ I Database Chemical Information Databa	STEL * Database secticide, Fungicide, and uction Volume Chemicals	Skin designatior	rm Exposure Limit) າ

NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization

Issuing Date	16-Sep-2022
Revision Date	16-Sep-2022
Revision Note	Initial Release.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet