

SAFETY DATA SHEET

US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date 16-Jun-2023 Revision Date 16-Jun-2023 Revision Number 1

1. Identification

Product identifier

Product Name Pro Series Polyurethane Flat

Other means of identification

Product Code(s) B824

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Wood coating

Restrictions on useUse only for intended applications

Details of the supplier of the safety data sheet

Manufacturer AddressDistributorGeneral FinishesWood Essence

 2462 Coporate Circle
 2343 1st Ave North, unit B

 East Troy, WI 53120
 Saskatoon, SK S7K 2A2

 Phone 1-800-783-6050
 Phone 306-955-8775

Dover Finishing Products 180 Ave Du Voyageur Pointe-Claire, QC H9R6A8 Phone 514-697-3000

Lee Valley Tools 1090 Morrison Drive Ottawa, ON K2H1C2 Phone 613-596-0350

Emergency telephone number

Emergency telephone 24 Hour Emergency Phone Number

Chemtrec 1-800-424-9300

+1 703 527 3887 (CHEMTREC International)

2. Hazard(s) identification

Classification

This product is not considered hazardous by either the US 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) or the Canadian Workplace Hazardous Material Information System (WHMIS 2015).

Label elements

Hazard statements

Not classified.

Other information

No information available.

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

	Chemical name	CAS No	Weight-%	Information Review	Date HMIRA filed and date exemption granted (if applicable)
	2-Butoxyethanol	111-76-2	1 - 5	-	-
Г	Dipropylene glycol monomethyl ether	34590-94-8	1 - 5	-	-

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids.

Skin contact Wash skin with soap and water.

Ingestion Rinse mouth.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Effects of Exposure No information available.

Indication of any immediate medical attention and special treatment needed

5. Fire-fighting measures

surrounding environment.

Unsuitable extinguishing media No information available.

Specific hazards arising from the

chemical

No information available.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Revision Date: 16-Jun-2023

Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV		OSH	A PEL		NIOSH
2-Butoxyethanol	TWA: 20 ppm		TWA:	50 ppm		IDLH: 700 ppm
111-76-2			TWA: 2	40 mg/m³		TWA: 5 ppm
			(vacated) T	WA: 25 ppm		TWA: 24 mg/m ³
				VA: 120 mg/m ³		
			(vaca	ted) S*		
			;	S*		
Dipropylene glycol monomethyl	TWA: 50 ppm			100 ppm		IDLH: 600 ppm
ether				00 mg/m³		TWA: 100 ppm
34590-94-8				WA: 100 ppm		TWA: 600 mg/m ³
				VA: 600 mg/m ³		STEL: 150 ppm
				TEL: 150 ppm	1	STEL: 900 mg/m ³
				EL: 900 mg/m ³		
				ted) S*		
				S*		
Chemical name	Alberta	Britis	h Columbia	Ontario		Quebec
2-Butoxyethanol	TWA: 20 ppm	TW	A: 20 ppm	TWA: 20 pp	om	TWA: 20 ppm
111-76-2	TWA: 97 mg/m ³					
Dipropylene glycol monomethyl	TWA: 100 ppm		A: 100 ppm	TWA: 100 p	•	TWA: 100 ppm
ether	TWA: 606 mg/m ³	STE	L: 150 ppm	STEL: 150 p	pm	TWA: 606 mg/m ³
34590-94-8	STEL: 150 ppm			Skin		STEL: 150 ppm
	STEL: 909 mg/m ³					STEL: 909 mg/m ³
	Skin					Skin

Chemical name	Manitoba	New Brunswick	Newfoundland and Labrador	Nova Scotia
2-Butoxyethanol	TWA: 20 ppm	TWA: 20 ppm	TWA: 20 ppm	TWA: 20 ppm
Dipropylene glycol monomethyl	TWA: 50 ppm	TWA: 100 ppm	TWA: 50 ppm	TWA: 50 ppm
ether		STEL: 150 ppm		
		Skin		

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
2-Butoxyethanol	TWA: 20 ppm STEL: 30 ppm	TWA: 20 ppm	TWA: 20 ppm STEL: 30 ppm	TWA: 50 ppm TWA: 240 mg/m³ STEL: 150 ppm STEL: 720 mg/m³ Skin
Dipropylene glycol monomethyl ether	TWA: 100 ppm STEL: 150 ppm Skin	TWA: 50 ppm	TWA: 100 ppm STEL: 150 ppm Skin	

Biological occupational exposure limits

Chemical name	ACGIH
2-Butoxyethanol	200 mg/g creatinine - urine (Butoxyacetic acid with
111-76-2	hydrolysis) - end of shift

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection If splashes are likely to occur, wear safety glasses with side-shields.

Hand protection No special protective equipment required.

Skin and body protectionNo special protective equipment required.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state Liquid Color Clear Odor Slight

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 7.5 - 8.5

Melting point / freezing pointNo data availableInitial boiling point and boiling rangeNo data available

No data available Flash point No data available **Evaporation rate** Flammability No data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

No data available Lower flammability or explosive

limits

Vapor pressure No data available Relative vapor density No data available

8.61 Relative density

Water solubility Soluble in water

No data available Solubility(ies) No data available **Partition coefficient** No data available **Autoignition temperature** No data available **Decomposition temperature** Kinematic viscosity No data available 300 - 600 cP No data available

Dynamic viscosity

Other information

Explosive properties No information available. **Oxidizing properties** No information available. No information available Softening point No information available Molecular weight **VOC** content No information available

VOC < 180 g/L

No information available **Liquid Density Bulk density** No information available

10. Stability and reactivity

Reactivity None under normal use conditions.

Stable under normal conditions. Chemical stability

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Do not freeze.

Incompatible materials None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Specific test data for the substance or mixture is not available. Inhalation

Specific test data for the substance or mixture is not available. Eye contact

Skin contact Specific test data for the substance or mixture is not available.

Specific test data for the substance or mixture is not available. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

 ATEmix (oral)
 35,506.00 mg/kg

 ATEmix (dermal)
 45,931.70 mg/kg

 ATEmix (inhalation-dust/mist)
 20.9198 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
2-Butoxyethanol	= 1300 mg/kg (Rat)	= 435 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h = 486 ppm (Rat) 4 h
Dipropylene glycol monomethyl ether	= 5.35 g/kg (Rat)	= 9500 mg/kg (Rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
2-Butoxyethanol	A3	Group 3	-	-
111-76-2				

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

12. Ecological information

Ecotoxicity The environmental impact of this product has not been fully investigated.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
2-Butoxyethanol 111-76-2		LC50: =1490mg/L (96h, Lepomis macrochirus) LC50: =2950mg/L (96h, Lepomis macrochirus)		EC50: >1000mg/L (48h, Daphnia magna)
Dipropylene glycol monomethyl	-	LC50: >10000mg/L	-	LC50: =1919mg/L (48h,

ether	(96h, Pimephales	Daphnia magna)
34590-94-8	promelas)	

Persistence and degradability

No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient	
2-Butoxyethanol 111-76-2	0.81	
Dipropylene glycol monomethyl ether 34590-94-8	0.35	

Other adverse effects

No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused products

Dispose of in accordance with local regulations, Dispose of waste in accordance with

environmental legislation.

Contaminated packaging

Do not reuse empty containers.

14. Transport information

DOT Not regulated

TDG Not regulated

<u>IATA</u> Not regulated

<u>IMDG</u> Not regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Contact supplier for inventory compliance status

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
2-Butoxyethanol - 111-76-2	1.0
Dipropylene glycol monomethyl ether - 34590-94-8	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65
2-Methoxyethanol - 109-86-4	Developmental
	Male Reproductive

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
2-Butoxyethanol	Χ	X	X
111-76-2			V
Dipropylene glycol monomethyl ether 34590-94-8	X	X	X
Limestone 1317-65-3	Χ	X	Х
Diethylene glycol monobutyl ether 112-34-5	X	_	X
2-Methoxyethanol 109-86-4	X	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

1	16	Oth	er i	inf	or	ma	ti	on
	ıv.	$\mathbf{\omega}$	G I				ч	

NFPA
HMISHealth hazards1Flammability0Instability0Special hazards-HMISHealth hazards2Flammability0Physical hazards0Personal protectionX

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Issuing Date 16-Jun-2023

Revision Date 16-Jun-2023

Revision Note Initial Release.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet