

SAFETY DATA SHEET

US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date 14-Jul-2023	Revision Date 14-Jul-2023	Revision Number 1	
1. Identification			
Product identifier			
Product Name	Enduro White Poly Satin		
Other means of identification	<u>n</u>		
Product Code(s)	B242		
Synonyms	None		
Recommended use of the c	hemical and restrictions on use		
Recommended use	Wood coating		
Restrictions on use	Use only for intended applications		
Details of the supplier of the	e safety data sheet		
Manufacturer Address General Finishes 2462 Coporate Circle East Troy, WI 53120 Phone 1-800-783-6050	Distributor Wood Essence 2343 1st Ave North, unit B Saskatoon, SK S7K 2A2 Phone 306-955-8775 Dover Finishing Products 180 Ave Du Voyageur Pointe-Claire, QC H9R6A8 Phone 514-697-3000 Lee Valley Tools 1090 Morrison Drive Ottawa, ON K2H1C2 Phone 613-596-0350		
Emergency telephone number			
Emergency telephone	24 Hour Emergency Phone Number Chemtrec 1-800-424-9300 +1 703 527 3887 (CHEMTREC International)		
2. Hazard(s) identific	ation		
Classification			

Classification

Skin sensitization

Category 1

Label elements

Warning

Hazard statements

May cause an allergic skin reaction.



Precautionary Statements - Prevention

Avoid breathing dust, fume, gas, mist, vapors and spray. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves.

Skin

IF ON SKIN: Wash with plenty of water and soap. If skin irritation or rash occurs: Get medical advice and attention. Wash contaminated clothing before reuse. **Precautionary Statements - Disposal**

Dispose of contents and container to an approved waste disposal plant.

Other information

No information available.

3. Composition/information on ingredients

Substance

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Information Review	Date HMIRA filed and date exemption granted (if applicable)
Titanium dioxide	13463-67-7	10 - 30	-	-
Dipropylene glycol monomethyl ether	34590-94-8	1 - 5	-	-
Silicon dioxide	7631-86-9	0.5 - 1.5	-	-
Aluminum hydroxide	21645-51-2	0.5 - 1.5	-	-
Talc	14807-96-6	0.1 - 1	-	-
Hexanedioic acid, dihydrazide	1071-93-8	0.1 - 1	-	-

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice	Show this safety data sheet to the doctor in attendance.
Inhalation	Remove to fresh air.
Eye contact	Rinse thoroughly with plenty of water, also under the eyelids.
Skin contact	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

	or allergic reactions see a physician.			
Ingestion	Rinse mouth.			
Most important symptoms and effects, both acute and delayed				
Symptoms	Itching. Rashes. Hives.			
Effects of Exposure	No information available.			
Indication of any immediate medica	al attention and special treatment needed			
Note to physicians	May cause sensitization in susceptible persons. Treat symptomatically.			
5. Fire-fighting measures				
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.			
Unsuitable extinguishing media	No information available.			
Specific hazards arising from the chemical	Product is or contains a sensitizer. May cause sensitization by skin contact.			
Explosion data Sensitivity to mechanical impac Sensitivity to static discharge	ct None. None.			
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.			
6. Accidental release meas	sures			
Personal precautions, protective e	quipment and emergency procedures			
Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.			
Methods and material for containm	ent and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.			
Methods for cleaning up	Pick up and transfer to properly labeled containers.			
7. Handling and storage				
7. Handling and storage Precautions for safe handling				
	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.			
Precautions for safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.			
Precautions for safe handling Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.			

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV		OSH	A PEL		NIOSH
Titanium dioxide 13463-67-7	TWA: 0.2 mg/m ³ nar respirable particulate TWA: 2.5 mg/m ³ fin respirable particulate	matter escale	(vacated) TWA	/m³ total dust : 10 mg/m³ total ust	TWA: TW	DLH: 5000 mg/m ³ 2.4 mg/m ³ CIB 63 fine /A: 0.3 mg/m ³ CIB 63 he, including engineered nanoscale
Dipropylene glycol monomethyl ether 34590-94-8	TWA: 50 ppm		TWA: 6 (vacated) TV (vacated) TV (vacated) S ⁻ (vacated) ST (vacated) ST	100 ppm 00 mg/m ³ WA: 100 ppm VA: 600 mg/m ³ TEL: 150 ppm EL: 900 mg/m ³ ted) S* S*		IDLH: 600 ppm TWA: 100 ppm TWA: 600 mg/m ³ STEL: 150 ppm STEL: 900 mg/m ³
Silicon dioxide 7631-86-9	-			-	I	DLH: 3000 mg/m ³ TWA: 6 mg/m ³
Aluminum hydroxide 21645-51-2	TWA: 1 mg/m ³ resp particulate matte	ər		-		-
Talc 14807-96-6	TWA: 2 mg/m ³ parti matter containing no a and <1% crystalline respirable particulate	sbestos silica,	(vacated) T respirable dust silica, containi TWA: 20 mppc	f if 1% Quartz e Quartz limit WA: 2 mg/m ³ <1% Crystalline ng no Asbestos f if 1% Quartz or Quartz limit	TWA: Asbe	DLH: 1000 mg/m ³ 2 mg/m ³ containing no estos and <1% Quartz respirable dust
Chemical name	Alberta	Britis	h Columbia	Ontario		Quebec
Titanium dioxide 13463-67-7	TWA: 10 mg/m ³		A: 10 mg/m ³ A: 3 mg/m ³	TWA: 10 mg	/m³	TWA: 10 mg/m ³
Dipropylene glycol monomethyl ether 34590-94-8	TWA: 100 ppm TWA: 606 mg/m ³ STEL: 150 ppm STEL: 909 mg/m ³ Skin	TW/ STE	A: 100 ppm L: 150 ppm	TWA: 100 pj STEL: 150 p Skin	pm	TWA: 100 ppm TWA: 606 mg/m ³ STEL: 150 ppm STEL: 909 mg/m ³ Skin
Aluminum hydroxide 21645-51-2	-		1.0 mg/m ³	TWA: 1 mg/		-
Talc 14807-96-6	TWA: 2 mg/m ³	TW	A: 2 mg/m ³	TWA: 2 mg/	m ³	TWA: 2 mg/m ³

Chemical name	Manitoba	New Brunswick	Newfoundland and Labrador	Nova Scotia
Titanium dioxide	TWA: 0.2 mg/m ³ TWA: 2.5 mg/m ³	TWA: 10 mg/m ³	TWA: 0.2 mg/m ³ TWA: 2.5 mg/m ³	TWA: 0.2 mg/m³ TWA: 2.5 mg/m³
Dipropylene glycol monomethyl ether	TWA: 50 ppm	TWA: 100 ppm STEL: 150 ppm Skin	TWA: 50 ppm	TWA: 50 ppm
Talc	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
Titanium dioxide	TWA: 10 mg/m ³ STEL: 20 mg/m ³	TWA: 0.2 mg/m ³ TWA: 2.5 mg/m ³	TWA: 10 mg/m ³ STEL: 20 mg/m ³	TWA: 30 mppcf TWA: 10 mg/m ³ STEL: 20 mg/m ³
Dipropylene glycol monomethyl ether	TWA: 100 ppm STEL: 150 ppm	TWA: 50 ppm	TWA: 100 ppm STEL: 150 ppm	

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
	Skin		Skin	
Silicon dioxide				TWA: 300 particle/mL TWA: 20 mppcf TWA: 2 mg/m ³
Talc	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 20 mppcf

Appropriate engineering controls

Engineering controls	Showers
	Eyewash stations
	Ventilation systems.

Individual protection measures, su	ich as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles).
Hand protection	Wear suitable gloves.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Information on basic physical and on Appearance Physical state Color	<mark>chemical properties</mark> Liquid White	
Odor	Slight	
Odor threshold	No information available	
Property pH	<u>Values</u> 7.5 - 8.5	Remarks • Method
Melting point / freezing point		No data available
Initial boiling point and boiling rang	Ie	No data available
Flash point	-	No data available
Evaporation rate		No data available
Flammability		No data available
Flammability Limit in Air		
Upper flammability or explosive limits		No data available
Lower flammability or explosive limits		No data available
Vapor pressure		No data available
Relative vapor density		No data available
Relative density	10.2	
Water solubility	Soluble in water	
Solubility(ies)		No data available
Partition coefficient		No data available

Autoignition temperature

Kinematic viscosity

Decomposition temperature

No data available

No data available

No data available

Dynamic viscosity	300 - 600 cP
Other information Explosive properties Oxidizing properties Softening point Molecular weight VOC content VOC Liquid Density Bulk density	No information available. No information available. No information available No information available No information available No information available No information available

10. Stability and reactivity

Reactivity None under normal use conditions.	
Chemical stability Stable under normal conditions.	
Possibility of hazardous reactions None under normal processing.	
Conditions to avoid Do not freeze.	
Incompatible materials None known based on information supplied.	

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation	Specific test data for the substance or mixture is not available.
Eye contact	Specific test data for the substance or mixture is not available.
Skin contact	May cause sensitization by skin contact. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). Specific test data for the substance or mixture is not available.
Ingestion	Specific test data for the substance or mixture is not available.
Symptoms related to the physic	ical, chemical and toxicological characteristics
Symptoms	Itching. Rashes. Hives.
Acute toxicity	
Numerical measures of toxicit	у
The following values are calcu ATEmix (oral)	llated based on chapter 3.1 of the GHS document: 33,181.60 mg/kg
Component Information	

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide	> 10000 mg/kg (Rat)	-	= 5.09 mg/L (Rat)4 h

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Dipropylene glycol monomethyl ether	= 5.35 g/kg (Rat)	= 9500 mg/kg (Rabbit)	-
Silicon dioxide	= 7900 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 58.8 mg/L (Rat)4 h
Aluminum hydroxide	> 5000 mg/kg (Rat)	-	-
Hexanedioic acid, dihydrazide	-	-	> 5.3 mg/L (Rat)4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	May cause an allergic skin reaction.
Germ cell mutagenicity	No information available.
Carcinogenicity	This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Titanium dioxide 13463-67-7	A3	Group 2B	-	Х
Silicon dioxide 7631-86-9	-	Group 3	-	-
Talc 14807-96-6	-	Group 3	-	Х

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)
A3 - Animal Carcinogen
IARC (International Agency for Research on Cancer)
Group 2B - Possibly Carcinogenic to Humans
Group 3 - Not Classifiable as to Carcinogenicity in Humans
OSHA (Occupational Safety and Health Administration of the US Department of Labor)
X - PresentReproductive toxicityNo information available.STOT - single exposureNo information available.STOT - repeated exposureNo information available.Aspiration hazardNo information available.

12. Ecological information

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Dipropylene glycol monomethyl	-	LC50: >10000mg/L	-	LC50: =1919mg/L (48h,
ether		(96h, Pimephales		Daphnia magna)
34590-94-8		promelas)		
Silicon dioxide	EC50: =440mg/L (72h,	LC50: =5000mg/L (96h,	-	EC50: =7600mg/L (48h,

7631-86-9	Pseudokirchneriella subcapitata)	Brachydanio rerio)		Ceriodaphnia dubia)
Talc 14807-96-6	-	LC50: >100g/L (96h, Brachydanio rerio)	-	-
Hexanedioic acid, dihydrazide 1071-93-8	-	LC50: >100mg/L (96h, Cyprinus carpio)	-	-

Persistence and degradability No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Dipropylene glycol monomethyl ether 34590-94-8	0.35
Hexanedioic acid, dihydrazide 1071-93-8	-2.7

Other adverse effects

No information available.

13. Disposal consideration	ons	
Disposal methods		
Waste from residues/unused products		
Contaminated packaging	Do not reuse empty containers.	
14. Transport information	n	
DOT	Not regulated	

TDG	Not regulated
	Not regulated
IMDG	Not regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Contact supplier for inventory compliance status

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Dipropylene glycol monomethyl ether - 34590-94-8	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65		
Titanium dioxide - 13463-67-7	Carcinogen		
Quartz - 14808-60-7	Carcinogen		
1,4-Dioxane - 123-91-1	Carcinogen		
Formaldehyde - 50-00-0	Carcinogen		
Methanol - 67-56-1	Developmental		
Methyl chloride - 74-87-3	Developmental		
	Male Reproductive		
Acetaldehyde - 75-07-0	Carcinogen		
Ethylene oxide - 75-21-8	Carcinogen		
	Developmental		
	Female Reproductive		
	Male Reproductive		
Propylene oxide - 75-56-9	Carcinogen		

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Titanium dioxide 13463-67-7	Х	X	Х
Dipropylene glycol monomethyl ether 34590-94-8	Х	X	Х
Silicon dioxide 7631-86-9	-	X	Х
Talc 14807-96-6	Х	X	Х
Triethylene glycol monobutyl ether 143-22-6	Х	-	Х

Quartz 14808-60-7	Х	X	Х
1,4-Dioxane 123-91-1	Х	X	Х
Methyl chloride 74-87-3	Х	Х	Х
Acetaldehyde 75-07-0	Х	X	Х
Ethylene oxide 75-21-8	Х	X	Х
Propylene oxide 75-56-9	Х	X	Х
Formaldehyde 50-00-0	Х	X	Х
Methanol 67-56-1	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information							
		n mability 0 n mability 0 Hazard	Instability 0 Physical hazards 0	Special hazards - Personal protection X			
Key or legend to abbreviations and acronyms used in the safety data sheet							
	weighted average)	n STEL *	STEL (Short Tern Skin designation	n Exposure Limit)			
Ceiling Maximum limit value * Skin designation Key literature references and sources for data used to compile the SDS Second and a second a sec							
Issuing Date	14-Jul-2023						
Revision Date	14-Jul-2023						
Revision Note <u>Disclaimer</u>	Initial Release.						

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet