

SAFETY DATA SHEET

US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date 14-Jul-2023 Revision Date 14-Jul-2023 Revision Number 1

1. Identification

Product identifier

Product Name Enduro White Poly Semi-Gloss

Other means of identification

Product Code(s) B194

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Wood coating

Restrictions on useUse only for intended applications

Details of the supplier of the safety data sheet

Manufacturer AddressDistributorGeneral FinishesWood Essence

 2462 Coporate Circle
 2343 1st Ave North, unit B

 East Troy, WI 53120
 Saskatoon, SK S7K 2A2

 Phone 1-800-783-6050
 Phone 306-955-8775

Dover Finishing Products 180 Ave Du Voyageur Pointe-Claire, QC H9R6A8 Phone 514-697-3000

Lee Valley Tools 1090 Morrison Drive Ottawa, ON K2H1C2 Phone 613-596-0350

Emergency telephone number

Emergency telephone 24 Hour Emergency Phone Number

Chemtrec 1-800-424-9300

+1 703 527 3887 (CHEMTREC International)

2. Hazard(s) identification

Classification

Skin sensitization Category 1

Label elements

Warning

Hazard statements

May cause an allergic skin reaction.



Precautionary Statements - Prevention

Avoid breathing dust, fume, gas, mist, vapors and spray.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves.

Skin

IF ON SKIN: Wash with plenty of water and soap.

If skin irritation or rash occurs: Get medical advice and attention.

Wash contaminated clothing before reuse.

Precautionary Statements - Disposal

Dispose of contents and container to an approved waste disposal plant.

Other information

No information available.

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

Chemical name	CAS No	Weight-%	Information Review	Date HMIRA filed and date exemption granted (if applicable)
Titanium dioxide	13463-67-7	10 - 30	-	-
Dipropylene glycol monomethyl ether	34590-94-8	1 - 5	-	-
Silicon dioxide	7631-86-9	0.5 - 1.5	-	-
Aluminum hydroxide	21645-51-2	0.5 - 1.5	-	-
Hexanedioic acid, dihydrazide	1071-93-8	0.1 - 1	-	-

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance.

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids.

Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation

or allergic reactions see a physician.

Most important symptoms and effects, both acute and delayed

Symptoms Itching. Rashes. Hives.

Effects of Exposure No information available.

Indication of any immediate medical attention and special treatment needed

Rinse mouth.

Note to physicians May cause sensitization in susceptible persons. Treat symptomatically.

5. Fire-fighting measures

surrounding environment.

Unsuitable extinguishing media No information available.

Specific hazards arising from the

chemical

Ingestion

Product is or contains a sensitizer. May cause sensitization by skin contact.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing.

8. Exposure controls/personal protection

Revision Date: 14-Jul-2023

Control parameters

Exposure Limits

Chemical name	ACGIH TLV		OSH	A PEL		NIOSH
Titanium dioxide	TWA: 0.2 mg/m³ nanoscale			/m³ total dust		DLH: 5000 mg/m ³
13463-67-7	respirable particulate matter			: 10 mg/m ³ total		2.4 mg/m³ CIB 63 fine
	TWA: 2.5 mg/m ³ finescale		d d	ust		'A: 0.3 mg/m ³ CIB 63
	respirable particulate	matter			ultrafin	ne, including engineered
Diagram dana shuaal maanamathud	T\\\\\ . \(\C \) = = = = = = = = = = = = = = = = = =		TWA: 100 ppm			nanoscale
Dipropylene glycol monomethyl ether	TWA: 50 ppm			100 ppm 00 mg/m ³		IDLH: 600 ppm
34590-94-8				WA: 100 ppm		TWA: 100 ppm TWA: 600 mg/m ³
3+330-34-0				/A: 600 mg/m ³		STEL: 150 ppm
				ΓEL: 150 ppm	;	STEL: 900 mg/m ³
				EL: 900 mg/m ³		
				ted) S*		
			` S* ´			
Silicon dioxide	-		-		I	DLH: 3000 mg/m ³
7631-86-9						TWA: 6 mg/m ³
Aluminum hydroxide	TWA: 1 mg/m³ respirable			-		-
21645-51-2	particulate matte					
Chemical name	Alberta		h Columbia	Ontario		Quebec
Titanium dioxide	TWA: 10 mg/m ³		10 mg/m ³	TWA: 10 mg	/m³	TWA: 10 mg/m ³
13463-67-7			A: 3 mg/m ³			
Dipropylene glycol monomethyl			A: 100 ppm	TWA: 100 p		TWA: 100 ppm
ether	TWA: 606 mg/m ³	SIE	L: 150 ppm	STEL: 150 p	pm	TWA: 606 mg/m ³
34590-94-8	STEL: 150 ppm			Skin		STEL: 150 ppm
	STEL: 909 mg/m³ Skin					STEL: 909 mg/m ³ Skin
Aluminum hydroxide	-	Τ\//Δ	: 1.0 mg/m³	TWA: 1 mg/	m ³	-
21645-51-2	-	1 **/	1.5 mg/m	1 **/ \. 1 1119/		_

Chemical name	Manitoba	New Brunswick	Newfoundland and Labrador	Nova Scotia
Titanium dioxide	TWA: 0.2 mg/m ³ TWA: 2.5 mg/m ³	TWA: 10 mg/m ³	TWA: 0.2 mg/m ³ TWA: 2.5 mg/m ³	TWA: 0.2 mg/m ³ TWA: 2.5 mg/m ³
Dipropylene glycol monomethyl ether	TWA: 50 ppm	TWA: 100 ppm STEL: 150 ppm Skin	TWA: 50 ppm	TWA: 50 ppm

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
Titanium dioxide	TWA: 10 mg/m ³	TWA: 0.2 mg/m ³	TWA: 10 mg/m ³	TWA: 30 mppcf
	STEL: 20 mg/m ³	TWA: 2.5 mg/m ³	STEL: 20 mg/m ³	TWA: 10 mg/m ³
				STEL: 20 mg/m ³
Dipropylene glycol monomethyl	TWA: 100 ppm	TWA: 50 ppm	TWA: 100 ppm	
ether	STEL: 150 ppm		STEL: 150 ppm	
	Skin		Skin	
Silicon dioxide				TWA: 300 particle/mL
				TWA: 20 mppcf
				TWA: 2 mg/m ³

Appropriate engineering controls

Engineering controls Showers

Eyewash stations

Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves.

Skin and body protectionWear suitable protective clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state Liquid
Color White
Odor Slight

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 7.5 - 8.5

Melting point / freezing pointNo data availableInitial boiling point and boiling rangeNo data availableFlash pointNo data availableEvaporation rateNo data availableFlammabilityNo data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableRelative vapor densityNo data available

Relative density 10.1

Water solubility Soluble in water

Solubility(ies)No data availablePartition coefficientNo data availableAutoignition temperatureNo data availableDecomposition temperatureNo data availableKinematic viscosityNo data available

Dynamic viscosity 300 - 600 cP

Other information

Explosive properties

Oxidizing properties

No information available.

No information available.

No information available.

No information available

No information available

No information available

VOC < 150 g/L

Liquid Density

No information available

Bulk density

No information available

10. Stability and reactivity

Reactivity

None under normal use conditions.

Stable under normal conditions. **Chemical stability**

Possibility of hazardous reactions None under normal processing.

Conditions to avoid Do not freeze.

Incompatible materials None known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

May cause sensitization by skin contact. Repeated or prolonged skin contact may cause Skin contact

allergic reactions with susceptible persons. (based on components). Specific test data for

the substance or mixture is not available.

Specific test data for the substance or mixture is not available. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics

Itching. Rashes. Hives. **Symptoms**

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

32,946.80 mg/kg ATEmix (oral)

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide	> 10000 mg/kg (Rat)	-	= 5.09 mg/L (Rat) 4 h
Dipropylene glycol monomethyl ether	= 5.35 g/kg (Rat)	= 9500 mg/kg (Rabbit)	-
Silicon dioxide	= 7900 mg/kg (Rat)	> 5000 mg/kg (Rabbit)	> 58.8 mg/L (Rat)4 h
Aluminum hydroxide	> 5000 mg/kg (Rat)	-	-
Hexanedioic acid, dihydrazide	-	-	> 5.3 mg/L (Rat) 4 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available. Serious eye damage/eye irritation No information available. Revision Date: 14-Jul-2023

Respiratory or skin sensitization May cause an allergic skin reaction.

Germ cell mutagenicity No information available.

Carcinogenicity This product contains titanium dioxide in a non-respirable form. Inhalation of titanium

dioxide is unlikely to occur from exposure to this product.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Titanium dioxide 13463-67-7	A3	Group 2B	1	Х
Silicon dioxide 7631-86-9	-	Group 3	-	-

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Aspiration hazard No information available.

12. Ecological information

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Dipropylene glycol monomethyl	-	LC50: >10000mg/L	-	LC50: =1919mg/L (48h,
ether		(96h, Pimephales		Daphnia magna)
34590-94-8		promelas)		
Silicon dioxide	EC50: =440mg/L (72h,	LC50: =5000mg/L (96h,	-	EC50: =7600mg/L (48h,
7631-86-9	Pseudokirchneriella	Brachydanio rerio)		Ceriodaphnia dubia)
	subcapitata)	,		·
Hexanedioic acid, dihydrazide	-	LC50: >100mg/L (96h,	-	-
1071-93-8		Cyprinus carpio)		

Persistence and degradability

No information available.

Bioaccumulation

Component Information

Component information				
Chemical name		Partition coefficient		
Dipropylene glycol monomethyl ether 34590-94-8		0.35		
Hexanedioic acid, dihydrazide 1071-93-8		-2.7		

Other adverse effects

No information available.

13. Disposal considerations

Disposal methods

products

Waste from residues/unused

Dispose of in accordance with local regulations, Dispose of waste in accordance with

Revision Date: 14-Jul-2023

environmental legislation.

Contaminated packagingDo not reuse empty containers.

14. Transport information

DOTNot regulatedTDGNot regulatedIATANot regulatedIMDGNot regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Contact supplier for inventory compliance status

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Dipropylene glycol monomethyl ether - 34590-94-8	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level

pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65
Titanium dioxide - 13463-67-7	Carcinogen
1,4-Dioxane - 123-91-1	Carcinogen
Formaldehyde - 50-00-0	Carcinogen
Methanol - 67-56-1	Developmental
Methyl chloride - 74-87-3	Developmental
	Male Reproductive
Acetaldehyde - 75-07-0	Carcinogen
Ethylene oxide - 75-21-8	Carcinogen
	Developmental
	Female Reproductive
	Male Reproductive
Propylene oxide - 75-56-9	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Titanium dioxide 13463-67-7	X	X	X
Dipropylene glycol monomethyl ether 34590-94-8	X	X	Х
Silicon dioxide 7631-86-9	-	X	Х
Methyl chloride 74-87-3	X	X	Х
Acetaldehyde 75-07-0	Х	X	Х
Ethylene oxide 75-21-8	Х	X	Х
Propylene oxide 75-56-9	Х	Х	Х
1,4-Dioxane 123-91-1	X	X	Х
Formaldehyde 50-00-0	X	X	Х
Methanol 67-56-1	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA Health hazards 2 Flammability 0 Instability 0 Special hazards - HMIS Health hazards 2 Flammability 0 Physical hazards 0 Personal protection X

Chronic Hazard Star Legend *= Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Issuing Date 14-Jul-2023

Revision Date 14-Jul-2023

Revision Note Initial Release.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet