

SAFETY DATA SHEET

US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date 01-Dec-2023 Revision Date 01-Dec-2023 Revision Number 1

1. Identification

Product identifier

Product Name Basil Milk Paint

Other means of identification

Product Code(s) B161

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Wood paint

Restrictions on useUse only for intended applications

Details of the supplier of the safety data sheet

Manufacturer AddressDistributorGeneral FinishesWood Essence

 2462 Coporate Circle
 2343 1st Ave North, unit B

 East Troy, WI 53120
 Saskatoon, SK S7K 2A2

 Phone 1-800-783-6050
 Phone 306-955-8775

Dover Finishing Products 180 Ave Du Voyageur Pointe-Claire, QC H9R6A8 Phone 514-697-3000

Lee Valley Tools 1090 Morrison Drive Ottawa, ON K2H1C2 Phone 613-596-0350

Emergency telephone number

Emergency telephone 24 Hour Emergency Phone Number

Chemtrec 1-800-424-9300

+1 703 527 3887 (CHEMTREC International)

2. Hazard(s) identification

Classification

Carcinogenicity Category 1A

Label elements

Danger

Hazard statements

May cause cancer.



Precautionary Statements - Prevention

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves, protective clothing, eye protection and face protection.

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention.

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents and container to an approved waste disposal plant.

Other information

Causes mild skin irritation.

3. Composition/information on ingredients

Substance

Not applicable.

<u>Mixture</u>

Chemical name	CAS No.	Weight-%	Information Review	Date HMIRA filed and date exemption granted (if applicable)
Limestone	1317-65-3	7 - 13	-	-
Titanium dioxide	13463-67-7	3 - 7	-	-
Talc	14807-96-6	1 - 5	-	-
2-(Dimethylamino)ethanol	108-01-0	0.1 - 1	-	-
Triethylene glycol monobutyl ether	143-22-6	0.1 - 1	-	-
Quartz	14808-60-7	0.1 - 1	-	-

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Description of first aid measures

General advice IF exposed or concerned: Get medical advice/attention.

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids.

Skin contact Wash skin with soap and water.

Ingestion Rinse mouth.

Most important symptoms and effects, both acute and delayed

Symptoms Prolonged contact may cause redness and irritation.

Effects of Exposure May cause cancer.

Indication of any immediate medical attention and special treatment needed

5. Fire-fighting measures

surrounding environment.

Unsuitable extinguishing media No information available.

Specific hazards arising from the

chemical

No information available.

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Other information Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing.

8. Exposure controls/personal protection

Control parameters

Exposure Limits

Chemical name	ACGIH TLV		OSH	A PEL		NIC	DSH
Limestone	-		TWA: 15 mg	m³ total dust	TWA	: 10 mg/r	m ³ total dust
1317-65-3			TWA: 5 mg/r	m ³ respirable	TWA: 5	mg/m ³	respirable dust
				ction			
			(vacated) TWA	: 15 mg/m³ total			
			-	ust			
				WA: 5 mg/m ³			
				le fraction			
Titanium dioxide	TWA: 0.2 mg/m ³ nar			m³ total dust			00 mg/m³
13463-67-7	respirable particulate			: 10 mg/m³ total			n³ CIB 63 fine
	TWA: 2.5 mg/m³ fin		a	ust			g/m³ CIB 63
	respirable particulate	matter			uitraiir		ling engineered scale
Talc	TWA: 2 mg/m³ parti	iouloto	TWA: 20 mppcf	if 1% Quartz			00 mg/m ³
14807-96-6	matter containing no a			e Quartz limit			3 containing no
14607-90-0	and <1% crystalline			WA: 2 mg/m ³			d <1% Quartz
	respirable particulate			<1% Crystalline			ble dust
		matto		ng no Asbestos		Тоорпа	bio adot
				f if 1% Quartz or			
				Quartz limit			
Quartz	TWA: 0.025 mg/m ³ re	spirable		50 μg/m ³	IDLH: 5	i0 mg/m ³	respirable dust
14808-60-7	particulate matte			VA: 0.1 mg/m ³		0.05 mg/	
	·		respira	ble dust		ďι	ust .
				iO2 + 5) mppcf			
				able fraction			
				O2 + 2) mg/m ³			
				able fraction			-
Chemical name	Alberta		h Columbia	Ontario			Quebec
Limestone	TWA: 10 mg/m ³		A: 10 mg/m ³	-		TW	A: 10 mg/m ³
1317-65-3			A: 3 mg/m ³				
Titaniana diamida	TIMA: 40 ::/2		L: 20 mg/m ³	T) // A : 4 O :== =	12	T\A/	A . 40/2
Titanium dioxide	TWA: 10 mg/m ³		A: 10 mg/m ³	TWA: 10 mg	/m ³	1 00	A: 10 mg/m ³
13463-67-7 Talc	TWA: 2 mg/m ³		A: 3 mg/m ³ A: 2 mg/m ³	TWA: 2 mg/	/m 3	T\A	/A: 2 mg/m ³
14807-96-6	I VVA. Z mg/m°	I VV	A. Z IIIg/III°	i vvA. ∠ mg/	III	1 77	rA. ∠ mg/m²
2-(Dimethylamino)ethanol	_			TWA: 3 pp	m		_
108-01-0	_		-	TWA: 3 pp			-
100-01-0				STEL: 6 pp			
				STEL: 22 mg			
Quartz	TWA: 0.025 mg/m ³	TWA:	0.025 mg/m ³	TWA: 0.10 m		TWA	A: 0.1 mg/m ³
14808-60-7	5.525 mg/m		-:g/		<i>3</i> ····	,	
L	•			<u> </u>		-	

Chemical name	Manitoba	New Brunswick	Newfoundland and	Nova Scotia
			Labrador	
Titanium dioxide	TWA: 0.2 mg/m ³	TWA: 10 mg/m ³	TWA: 0.2 mg/m ³	TWA: 0.2 mg/m ³
	TWA: 2.5 mg/m ³		TWA: 2.5 mg/m ³	TWA: 2.5 mg/m ³
Talc	TWA: 2 mg/m ³			
Quartz	TWA: 0.025 mg/m ³			

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
Limestone	TWA: 10 mg/m³ STEL: 20 mg/m³		TWA: 10 mg/m³ STEL: 20 mg/m³	TWA: 30 mppcf TWA: 10 mg/m ³ STEL: 20 mg/m ³
Titanium dioxide	TWA: 10 mg/m ³	TWA: 0.2 mg/m ³	TWA: 10 mg/m ³	TWA: 30 mppcf

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
	STEL: 20 mg/m ³	TWA: 2.5 mg/m ³	STEL: 20 mg/m ³	TWA: 10 mg/m ³
				STEL: 20 mg/m ³
Talc	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 20 mppcf
Quartz	TWA: 0.05 mg/m ³	TWA: 0.025 mg/m ³	TWA: 0.05 mg/m ³	TWA: 300 particle/mL

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Hand protection Wear suitable gloves.

Skin and body protectionWear suitable protective clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

No data available

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance

Physical state Liquid Color Green Odor Slight

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 7.5 - 8.8 Melting point / freezing point

Initial boiling point and boiling rangeNo data availableFlash pointNo data availableEvaporation rateNo data availableFlammabilityNo data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableRelative vapor densityNo data available

Relative density 10.3

Water solubility Soluble in water

Solubility(ies)No data availablePartition coefficientNo data availableAutoignition temperatureNo data availableDecomposition temperatureNo data availableKinematic viscosityNo data available

Dynamic viscosity 1500 - 2500 cP

Other information

Explosive propertiesNo information available.Oxidizing propertiesNo information available.Softening pointNo information availableMolecular weightNo information availableVOC contentNo information available

VOC < 50 g/L

Liquid Density

Bulk density

No information available
No information available

10. Stability and reactivity

Reactivity None under normal use conditions.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions
None under normal processing.

Conditions to avoid Do not freeze.

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products None known based on information supplied.

11. Toxicological information

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contactCauses mild skin irritation. Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Prolonged contact may cause redness and irritation.

Acute toxicity .

Numerical measures of toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide	> 10000 mg/kg (Rat)	-	= 5.09 mg/L (Rat) 4 h
2-(Dimethylamino)ethanol	= 1803 mg/kg (Rat)	= 1220 mg/kg (Rabbit)	= 1641 ppm (Rat) 4 h
Triethylene glycol monobutyl ether	= 5300 mg/kg (Rat)	= 3540 mg/kg (Rabbit)	-

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationCauses mild skin irritation. Classification based on data available for ingredients.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity May cause cancer. Contains a known or suspected carcinogen. Classification based on

data available for ingredients.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Titanium dioxide	A3	Group 2B	-	X
13463-67-7				
Talc	-	Group 3	-	X
14807-96-6		,		
Quartz	A2	Group 1	Known	X
14808-60-7				

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

Aspiration hazard

No information available.

12. Ecological information

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Talc	-	LC50: >100g/L (96h,	-	-
14807-96-6		Brachydanio rerio)		
2-(Dimethylamino)ethanol	EC50: =35mg/L (72h,	LC50: =81mg/L (96h,	-	EC50: =98.77mg/L (48h,
108-01-0	Desmodesmus	Pimephales promelas)		Daphnia magna)
	subspicatus)			
Triethylene glycol monobutyl	EC50: >500mg/L (72h,	LC50: =2400mg/L (96h,	-	EC50: >500mg/L (48h,
ether	Desmodesmus	Pimephales promelas)		Daphnia magna)
143-22-6	subspicatus)			

Persistence and degradability No information available.

Bioaccumulation

Component Information

Chemical name	Partition coefficient
2-(Dimethylamino)ethanol 108-01-0	-0.55
Triethylene glycol monobutyl ether 143-22-6	0.51

Other adverse effects No information available.

13. Disposal considerations

Disposal methods

Waste from residues/unused

products

Dispose of in accordance with local regulations, Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. Transport information

DOTNot regulatedTDGNot regulatedIATANot regulatedIMDGNot regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Contact supplier for inventory compliance status

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Triethylene glycol monobutyl ether - 143-22-6	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65
Titanium dioxide - 13463-67-7	Carcinogen
Quartz - 14808-60-7	Carcinogen
1-Methyl-2-pyrrolidone - 872-50-4	Developmental
Ethylene oxide - 75-21-8	Carcinogen
	Developmental
	Female Reproductive
	Male Reproductive
1,4-Dioxane - 123-91-1	Carcinogen
Formaldehyde - 50-00-0	Carcinogen
Methanol - 67-56-1	Developmental
Methyl chloride - 74-87-3	Developmental
	Male Reproductive
Acetaldehyde - 75-07-0	Carcinogen
Propylene oxide - 75-56-9	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Limestone 1317-65-3	X	X	X
Titanium dioxide 13463-67-7	Χ	X	X
Talc 14807-96-6	X	X	Х
Propylene glycol monomethyl ether 107-98-2	X	X	X
Propylene glycol 57-55-6	Χ	-	X
Dipropylene glycol monomethyl ether 34590-94-8	X	X	X
2-(Dimethylamino)ethanol 108-01-0	X	X	X
Triethylene glycol monobutyl	X	-	X

ether 143-22-6			
Quartz 14808-60-7	Х	X	X
1-Methyl-2-pyrrolidone 872-50-4	X	Х	Х
Ethylene oxide 75-21-8	Х	Х	Х
1,4-Dioxane 123-91-1	Х	Х	Х
Formaldehyde 50-00-0	Х	Х	Х
Methanol 67-56-1	Х	Х	Х
Methyl chloride 74-87-3	Х	Х	Х
Acetaldehyde 75-07-0	Х	Х	Х
Propylene oxide 75-56-9	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other information

NFPA Health hazards 0 Flammability 0 Instability 0 Special hazards - HMIS Health hazards * Flammability 0 Physical hazards 0 Personal protection X Chronic Hazard Star Legend *= Chronic Health Hazard

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend

SVHC: Substances of Very High Concern for Authorization:
PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances
vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances

STOT: Specific Target Organ Toxicity

ATE: Acute Toxicity Estimate LC50: 50% Lethal Concentration

LD50: 50% Lethal Dose

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value Sk* Skin designation

+ Sensitizers

Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

U.S. National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Issuing Date 01-Dec-2023

Revision Date 01-Dec-2023

Revision Note Initial Release.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet