



# SAFETY DATA SHEET

US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date 19-Apr-2024

Revision Date 19-Apr-2024

Revision Number 1

## 1. Identification

### Product identifier

Product Name Exterior 450 Gloss

### Other means of identification

Product Code(s) B682

Synonyms None

### Recommended use of the chemical and restrictions on use

Recommended use Wood coating

Restrictions on use Use only for intended applications

### Details of the supplier of the safety data sheet

#### Manufacturer Address

General Finishes  
2462 Coporate Circle  
East Troy, WI 53120  
Phone 1-800-783-6050

#### Distributor

Wood Essence  
2343 1st Ave North, unit B  
Saskatoon, SK S7K 2A2  
Phone 306-955-8775

Dover Finishing Products  
180 Ave Du Voyageur  
Pointe-Claire, QC H9R6A8  
Phone 514-697-3000

Lee Valley Tools  
1090 Morrison Drive  
Ottawa, ON K2H1C2  
Phone 613-596-0350

### Emergency telephone number

Emergency telephone 24 Hour Emergency Phone Number  
Chemtrec 1-800-424-9300  
+1 703 527 3887 (CHEMTREC International)

## 2. Hazard(s) identification

### Classification

Serious eye damage/eye irritation

Category 2A

### Label elements

Warning

Hazard statements

Causes serious eye irritation.



#### Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling.

Wear eye and face protection.

#### Precautionary Statements - Response

#### Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.

#### Other information

No information available.

### 3. Composition/information on ingredients

#### Substance

Not applicable.

#### Mixture

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
1-Butoxy-2-propanol	5131-66-8	1 - 5	-	-
Propylene glycol	57-55-6	0.5 - 1.5	-	-
Poly(oxy-1,2-ethanediyl), .alpha.-(3-carboxy-1-oxosulfopropyl)-.omega.-(decyl oxy)-, disodium salt	68630-97-7	0.1 - 1	-	-
Triethylamine	121-44-8	0.1 - 1	-	-

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. First-aid measures

#### Description of first aid measures

#### General advice

Show this safety data sheet to the doctor in attendance.

#### Inhalation

Remove to fresh air.

#### Eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.

#### Skin contact

Wash skin with soap and water.

<b>Ingestion</b>	Rinse mouth. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Call a physician.
<b>Self-protection of the first aider</b>	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

**Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	May cause redness and tearing of the eyes. Burning sensation. Prolonged contact may cause redness and irritation.
<b>Effects of Exposure</b>	No information available.

**Indication of any immediate medical attention and special treatment needed**

<b>Note to physicians</b>	Treat symptomatically.
---------------------------	------------------------

**5. Fire-fighting measures**

<b>Suitable Extinguishing Media</b>	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
<b>Unsuitable extinguishing media</b>	No information available.
<b>Specific hazards arising from the chemical</b>	No information available.
<b>Explosion data</b>	
<b>Sensitivity to mechanical impact</b>	None.
<b>Sensitivity to static discharge</b>	None.
<b>Special protective equipment and precautions for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

**6. Accidental release measures****Personal precautions, protective equipment and emergency procedures**

<b>Personal precautions</b>	Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
<b>Other information</b>	Refer to protective measures listed in Sections 7 and 8.

**Methods and material for containment and cleaning up**

<b>Methods for containment</b>	Prevent further leakage or spillage if safe to do so.
<b>Methods for cleaning up</b>	Pick up and transfer to properly labeled containers.
<b>Prevention of secondary hazards</b>	Clean contaminated objects and areas thoroughly observing environmental regulations.

**7. Handling and storage****Precautions for safe handling**

<b>Advice on safe handling</b>	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.
--------------------------------	---

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing.

## 8. Exposure controls/personal protection

### Control parameters

#### Exposure Limits

The following ingredients are the only ingredients of the product above the cut-off level (or level that contributes to the hazard classification of the mixture) which have an exposure limit applicable in the region for which this safety data sheet is intended or other recommended limit. At this time, the other relevant constituents have no known exposure limits from the sources listed here.

Chemical name	ACGIH TLV	OSHA PEL			NIOSH
Triethylamine 121-44-8	TWA: 0.5 ppm STEL: 1 ppm Sk*	TWA: 25 ppm TWA: 100 mg/m <sup>3</sup> (vacated) TWA: 10 ppm (vacated) TWA: 40 mg/m <sup>3</sup> (vacated) STEL: 15 ppm (vacated) STEL: 60 mg/m <sup>3</sup>			IDLH: 200 ppm
Chemical name	Alberta	British Columbia	Ontario	Quebec	
Propylene glycol 57-55-6	-	-	TWA: 10 mg/m <sup>3</sup> TWA: 50 ppm TWA: 155 mg/m <sup>3</sup>	-	
Triethylamine 121-44-8	TWA: 1 ppm TWA: 4.1 mg/m <sup>3</sup> STEL: 3 ppm STEL: 12 mg/m <sup>3</sup> Sk*	TWA: 0.5 ppm STEL: 1 ppm Sk*	TWA: 0.5 ppm STEL: 1 ppm Sk*	TWA: 0.5 ppm STEL: 1 ppm Skin	
Chemical name	Manitoba	New Brunswick	Newfoundland and Labrador	Nova Scotia	
Triethylamine	TWA: 0.5 ppm STEL: 1 ppm Sk*	TWA: 0.5 ppm STEL: 1 ppm Sk*	TWA: 0.5 ppm STEL: 1 ppm Sk*	TWA: 0.5 ppm STEL: 1 ppm Sk*	
Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon	
Triethylamine	TWA: 1 ppm STEL: 3 ppm Sk*	TWA: 0.5 ppm STEL: 1 ppm	TWA: 1 ppm STEL: 3 ppm Skin	TWA: 25 ppm TWA: 100 mg/m <sup>3</sup> STEL: 40 ppm STEL: 150 mg/m <sup>3</sup>	

### Appropriate engineering controls

#### Engineering controls

Showers  
Eyewash stations  
Ventilation systems.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear safety glasses with side shields (or goggles).

#### Hand protection

Wear suitable gloves.

#### Skin and body protection

Wear suitable protective clothing.

<b>Respiratory protection</b>	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
<b>General hygiene considerations</b>	Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do not eat, drink or smoke when using this product.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

#### Appearance

Physical state	Liquid
Color	Orange / Brown
Odor	Slight
Odor threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	7.5 - 8.5	
Melting point / freezing point		No data available
Initial boiling point and boiling range		No data available
Flash point		No data available
Evaporation rate		No data available
Flammability		No data available
Flammability Limit in Air		
Upper flammability or explosive limits		No data available
Lower flammability or explosive limits		No data available
Vapor pressure		No data available
Relative vapor density		No data available
Relative density	8.49	
Water solubility	Soluble in water	
Solubility(ies)		No data available
Partition coefficient		No data available
Autoignition temperature		No data available
Decomposition temperature		No data available
Kinematic viscosity		No data available
Dynamic viscosity	20 - 100 cP	
<u>Other information</u>		
Explosive properties	No information available.	
Oxidizing properties	No information available.	
Softening point	No information available	
Molecular weight	No information available	
VOC content	< 125 g/L	
Liquid Density	No information available	
Bulk density	No information available	

## 10. Stability and reactivity

<b>Reactivity</b>	None under normal use conditions.
<b>Chemical stability</b>	Stable under normal conditions.
<b>Possibility of hazardous reactions</b>	None under normal processing.
<b>Conditions to avoid</b>	Do not freeze.
<b>Incompatible materials</b>	None known based on information supplied.
<b>Hazardous decomposition products</b>	None known based on information supplied.

## 11. Toxicological information

### Information on likely routes of exposure

#### Product Information

<b>Inhalation</b>	May cause irritation of respiratory tract. Specific test data for the substance or mixture is not available.
<b>Eye contact</b>	Causes serious eye irritation (based on components). May cause redness, itching, and pain. Specific test data for the substance or mixture is not available.
<b>Skin contact</b>	Causes mild skin irritation. Prolonged contact may cause redness and irritation. Specific test data for the substance or mixture is not available.
<b>Ingestion</b>	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Specific test data for the substance or mixture is not available.

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Symptoms</b>	May cause redness and tearing of the eyes. Prolonged contact may cause redness and irritation.
-----------------	--

### Acute toxicity

#### Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

<b>ATEmix (oral)</b>	123,950.50 mg/kg
<b>ATEmix (dermal)</b>	130,604.70 mg/kg

#### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
1-Butoxy-2-propanol	= 1900 mg/kg ( Rat )	> 2000 mg/kg ( Rat )	-
Propylene glycol	= 20 g/kg ( Rat )	= 20800 mg/kg ( Rabbit )	-
Triethylamine	= 460 mg/kg ( Rat )	= 415 mg/kg ( Rabbit )	= 14.5 mg/L ( Rat ) 1 h

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Skin corrosion/irritation</b>	No information available.
<b>Serious eye damage/eye irritation</b>	Causes serious eye irritation. Classification based on data available for ingredients.
<b>Respiratory or skin sensitization</b>	No information available.
<b>Germ cell mutagenicity</b>	No information available.
<b>Carcinogenicity</b>	No information available.
<b>Reproductive toxicity</b>	No information available.
<b>STOT - single exposure</b>	No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

## 12. Ecological information

**Ecotoxicity** The environmental impact of this product has not been fully investigated.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Propylene glycol 57-55-6	EC50: =19000mg/L (96h, Pseudokirchneriella subcapitata)	LC50: =51600mg/L (96h, Oncorhynchus mykiss) LC50: 41 - 47mL/L (96h, Oncorhynchus mykiss) LC50: =51400mg/L (96h, Pimephales promelas) LC50: =710mg/L (96h, Pimephales promelas)	-	EC50: >1000mg/L (48h, Daphnia magna)
Triethylamine 121-44-8	-	LC50: =43.7mg/L (96h, Pimephales promelas)	-	EC50: =200mg/L (48h, Daphnia magna)

**Persistence and degradability** No information available.

### Bioaccumulation

#### Component Information

Chemical name	Partition coefficient
1-Butoxy-2-propanol 5131-66-8	1.2
Propylene glycol 57-55-6	-1.07
Triethylamine 121-44-8	1.45

**Other adverse effects** No information available.

## 13. Disposal considerations

### Disposal methods

**Waste from residues/unused products** Dispose of in accordance with local regulations, Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

## 14. Transport information

**DOT** Not regulated

**TDG** Not regulated

**IATA** Not regulated

**IMDG** Not regulated

## 15. Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Regulations

**The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable

**The Stockholm Convention on Persistent Organic Pollutants** Not applicable

**The Rotterdam Convention** Not applicable

#### International Inventories

Contact supplier for inventory compliance status

#### US Federal Regulations

##### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

##### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

##### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Triethylamine 121-44-8	5000 lb	-	-	X

##### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Triethylamine 121-44-8	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ

#### US State Regulations

##### California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical name	California Proposition 65
1,4-Dioxane - 123-91-1	Carcinogen
Ethylene oxide - 75-21-8	Carcinogen Developmental Female Reproductive Male Reproductive



**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Propylene glycol 57-55-6	X	-	X
(2-methoxymethylethoxy)propan ol 34590-94-8	X	X	X
Triethylamine 121-44-8	X	X	X
1,4-Dioxane 123-91-1	X	X	X

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

**16. Other information**

**NFPA** Health hazards 2 Flammability 0 Instability 0 Special hazards -  
**HMIS** Health hazards 2 Flammability 0 Physical hazards 0 Personal protection X

**Key or legend to abbreviations and acronyms used in the safety data sheet**

**Legend**

SVHC: Substances of Very High Concern for Authorization:  
 PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances  
 vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances  
 STOT: Specific Target Organ Toxicity  
 ATE: Acute Toxicity Estimate  
 LC50: 50% Lethal Concentration  
 LD50: 50% Lethal Dose

**Legend Section 8: Exposure controls/personal protection**

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)  
 Ceiling Maximum limit value Sk\* Skin designation  
 + Sensitizers

**Key literature references and sources for data used to compile the SDS**

U.S. Environmental Protection Agency ChemView Database  
 European Food Safety Authority (EFSA)  
 Environmental Protection Agency  
 Acute Exposure Guideline Level(s) (AEGl(s))  
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
 U.S. Environmental Protection Agency High Production Volume Chemicals  
 Food Research Journal  
 Hazardous Substance Database  
 International Uniform Chemical Information Database (IUCLID)  
 Japan GHS Classification  
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
 NIOSH (National Institute for Occupational Safety and Health)  
 National Library of Medicine's ChemID Plus (NLM CIP)  
 U.S. National Toxicology Program (NTP)  
 New Zealand's Chemical Classification and Information Database (CCID)  
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
 Organization for Economic Co-operation and Development Screening Information Data Set  
 World Health Organization

Issuing Date 19-Apr-2024

Revision Date 19-Apr-2024

Revision Note Initial Release.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**